

REQUEST FOR QUOTATION

Section 53.9b - SVP - Goods

RFQ NO. 07 - 1126
DATE: 20-Jul-2023

COMPANY NAME :
COMPANY ADDRESS :
CONTACT PERSON :
CONTACT NO. :
COMPANY TIN :

BDSK-2023-07-1126
POSTED
GEP'S REF No. _____
DATE: *29/10/2023*
SIGNATURE: _____

Sir/Madam:

Please quote your government price/s including delivery charges, VAT or other applicable taxes, and other incidental expenses for the goods listed in **Annex A**. Failure to indicate **TECHNICAL SPECIFICATIONS** could be basis for non-compliance. Also, furnish us with the descriptive brochures, catalogues, literatures and/or samples, if applicable.

If you are the exclusive manufacturer, distributor or agent in the Philippines for the goods listed in Annex A please attach in your quotation a duly notarized certification to this effect.

Please submit this form together with Annex A to **DSWD FO IX BAC OFFICE** on or before *JULY 24, 2023 @ 05:00pm*

Very truly yours,

[Signature]
ROLANDO V. CUEVA
Regional Procurement Officer

Terms and Conditions:

- PURPOSE** : UPGRADING OF CCTV SYSTEM IN BDSK
- PR NUMBER** : **2023 - 07 - 1126**
1. Award shall be made on per : Item Basis Lot Basis
2. Quotation validity : 30 CALENDAR DAYS FROM BID OPENING
3. Goods shall be delivered on : **20 CALENDAR DAYS UPON RECEIPT OF NTP**
4. Delivery Area : **BDSK, POLANCO, ZAMBOANGA DEL NORTE**
5. Terms of payment : W/ IN 60 CALENDAR DAYS AFTER DELIVERY
6. Liquidated Damages/Penalty : 1/10 of 1% of undelivered portion x No. of days of delay
7. In case of discrepancy between unit cost and total cost, unit cost shall prevail.
8. Warranty : N/A
9. Performance Security : N/A

Department of Social Welfare and Development FO-IX
Bids and Quotations Committee
For Posting

Received by: *[Signature]*
Date & Time: *29/10/2023*
Remarks: *[Signature]*

(signature over printed name)
Supplier

PHILGEPS NO.: _____
PHILGEPS EXPIRY: _____





HSWD-01-010-REV 01 17 AUG 2023



COMPANY NAME
COMPANY ADDRESS
CONTACT PERSON
CONTACT NO

Section 53.9b - SVP - Goods
ANNEX A: RFQ
RFQ NO. : 07-1128
DATE : 2023-07-20

LOT NO.	QTY.	UNIT	PURCHASERS SPECIFICATIONS	TOTAL ABC	BIDDER'S SPECIFICATIONS	UNIT COST	TOTAL COST
1	1	LOT	UPGRADING OF CCTV SYSTEM IN BDSK				
	1	UNIT	*1 unit NVR 32 Channel POE				
	32	UNIT	*32 units 4mp Full Color Night Vision IP CCTV Camera POE				
	1	UNIT	*1 unit LED TV 4k UHD 55" with TV wall mount bracket				
	1	UNIT	*1 unit UPS 5KVA rack mountable				
	1	UNIT	*1 unit 3 Feet Data Cabinet				
	12	BOX	*12 box pure copper UTP Cable 300 meters				
	100	PC	*Plastic Moulding 1 inch				
	50	PC	*Plastic Moulding 2 inch				
	30	PC	*Plastic Moulding 3 inch				
	1	SVC	*Installation				
			*Cabling must be above ceiling and enclosed in Orange Conduit Flexible Hose Electrical Insulation				
			*For exposed cables, must be enclosed in plastic moulding / Orange Conduit Flexible Hose Electrical Insulation				
			*Drilling must be above ceiling				
			*Cabling outside the office must be secured from any possible interference and enclosed in plastic moulding / Orange Conduit Flexible Hose Electrical Insulation				
			*Viewable on Web Browser and Android thru online and secured flatform				
			XX	476,000.00			

PROPOSE : UPGRADING OF CCTV SYSTEM IN BDSK
R NO. : 07 - 1128

JOHN MATHEW L. AREVALO
CANVASSER

(SIGNATURE OVER PRINTED NAME)
SUPPLIER

- DOCUMENTS REQUIRED DURING RFQ OPENING:**
1. Mayor's Permit
 2. Philgeps Registration Number
 3. PCAB License
 4. Income/Business Tax Return for ABC's Above 500k
- DOCUMENTS REQUIRED BEFORE ISSUANCE OF NOTICE OF AWARD:**
1. Omnibus Sworn Statement for ABC's Above 500k

DSWD Field Office IX, General Vicente Alvarez Street, Zamboanga City, Philippines 7000
Website: <http://www.dswd.gov.ph/foix> Tel Nos: (082) 991-6030/991-6036 Telefax: (082)993-0692



SPECIFICATION CCTV SYSTEM IN RRCY

a. Network Video Recorder (NVR) POE

- 32 channel IP cameras can be connected
- Supports decoding H.265+/H.265/H.264+/H.264 video formats
- Up to 160 Mbps incoming bandwidth ensures IP cameras can be connected
- Up to 160 Mbps outgoing bandwidth
- 1 HDMI and 1 VGA interfaces: both interfaces support independent video output
- At least 2 HDDs for continuous video recording (INCLUDED 12TB for each HDD SLOTS)
- Centralized management of IP cameras, including configuration, information import/export, real-time information display, two-way audio, upgrade, etc.
- Supports IP Camera 4MP full color PoE with built-in Mic
- Supports various special function cameras, including thermal camera/fisheye/people counting/heatmap/ANPR (automatic number plate recognition)
- Advanced streaming technology enables smooth live view and data self-correction in poor network conditions
- Supports dual-stream recording to save time and bandwidth.

b. IP Camera 4MP full color PoE with built-in Mic

Camera

Image Sensor 1/1.8" Progressive Scan CMOS
Max. Resolution 2688 × 1520
Min. Illumination Color: 0.0005 Lux @ (F1.0, AGC ON), 0 Lux with white light
Shutter Time 1/3 s to 1/100,000 s
Angle Adjustment Pan: 0° to 360°, tilt: 0° to 75°, rotate: 0° to 360°

Lens

Lens Type Fixed focal lens, 2.8, 4, and 6 mm optional
Focal Length & FOV
2.8 mm, horizontal FOV 112°, vertical FOV 61°, diagonal FOV 134°
4 mm, horizontal FOV 95°, vertical FOV 51°, diagonal FOV 115°
6 mm, horizontal FOV 58°, vertical FOV 31°, diagonal FOV 69°
Lens Mount M16
Iris Type Fixed
Aperture F1.0
Depth Of Field
2.8 mm, 2.5 m to ∞
4 mm, 3.5 m to ∞
6 mm, 7.5 m to ∞

Video

Main Stream
50 Hz: 25 fps (2688 × 1520, 1920 × 1080, 1280 × 720)
60 Hz: 30 fps (2688 × 1520, 1920 × 1080, 1280 × 720)
Sub-Stream
50 Hz: 25 fps (1280 × 720, 640 × 480, 640 × 360)
60 Hz: 30 fps (1280 × 720, 640 × 480, 640 × 360)

On-Board Storage Built-in memory card slot, support microSD/microSDHC/microSDXC card, up to 512 GB
Built-In Microphone-U

c. 55" 4K UHD LED TV with wall mount BRACKET


- Resolution: 3840 x 2160
- Panel Type: VA
- Aspect Ratio: 16:9
- Response Time: 4ms (GtG at Faster)
- AMD FreeSync™: YES
- HDMI: YES(2ea)
- DisplayPort: YES (1ea)
- DP Version: 1.4
- Speaker: YES
- Speaker_Output (unit): 5W
- Speaker_Channel: 2ch
- Display Position Adjustments: Tilt
- Wall Mountable: 100 x 100 mm

d. UPS AVR 2000 VA/ 900 watts Rack Mount

- 2kVA 1u Rack Mount UPS 2000va Power Supply UPS System
- OutputMax Configurable Power (Watts): 900 Watts / 1.6kVA
- Output Frequency (sync to mains): 50/60 Hz +/- 1 Hz Sync to mains
- Topology: Line-interactive
- Waveform type: Stepped approximation to a sine wave
- Transfer Time: 6 ms typical : 10 ms maximum
- InputInput frequency: 50/60 Hz +/- 5 Hz Auto-sensing
- Input voltage range for main operations: 140 - 300V
- Number of Power Cords: 1
- Input Power Factor at Full Load: 0.56
- Battery type: Lead-acid battery
- Typical recharge time: 8 hour(s)
- Expected Battery Life (years): 1 - 2
- Battery Volt-Amp-Hour Capacity: 168

Prepared by;

USAY J. KUYONG, JR.
ITO-II



BDSK CCTV LAYOUT PLAN

Anastacio, Polanco, ZDN