PHILIPPINE BIDDING DOCUMENTS

ITB 2023-12-092 Upgrading of Admin Building and Dormitory at DSWD FOIX, Home for Women

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glossa	ry of Terms, Abbreviations, and Acronyms	5
Section	I. Invitation to Bid	8
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	13
5.	Eligible Bidders	13
6.	Origin of Associated Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents Comprising the Bid: Eligibility and Technical Components	14
11.	Documents Comprising the Bid: Financial Component	15
12.	Alternative Bids	15
13.	Bid Prices	15
14.	Bid and Payment Currencies	16
15.	Bid Security	16
16.	Sealing and Marking of Bids	16
17.	Deadline for Submission of Bids	16
18.	Opening and Preliminary Examination of Bids	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Sectional Completion of Works	21
3.	Possession of Site	21
4.	The Contractor's Obligations	21
5.	Performance Security	22
6	Site Investigation Reports	22

7.	Warranty	22
8.	Liability of the Contractor	22
9.	Termination for Other Causes	22
10.	Dayworks	23
11.	Program of Work	23
12.	Instructions, Inspections and Audits	23
13.	Advance Payment	23
14.	Progress Payments	23
15.	Operating and Maintenance Manuals	23
Section	V. Special Conditions of Contract	25
Section	VI. Specifications	28
Section	VII. Drawings	30
Section	VIII. Bill of Quantities	31
Section	IX. Checklist of Technical and Financial Documents	33

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Invitation to Bid for the Upgrading of Admin Building and Dormitory at DSWD FOIX, Home for Women ITB 2023-12-092

- 1. The Department of Social Welfare and Development (DSWD) Field Office IX, through the NGA, the General Appropriations Act 2023 intends to apply the sum of SIX MILLION, EIGHT HUNDRED TWENTY-EIGHT THOUSAND, TWO HUNDRED FIFTY-THREE PESO(S) AND SEVENTY HUNDREDTH(S) (Php ₱6,828,253.70) being the ABC to payments under the contract for the Upgrading of Admin Building and Dormitory at DSWD FOIX, Home for Women ITB 2023-12-092. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **Department of Social Welfare and Development (DSWD) Field Office IX** now invites bids for the above Procurement Project. Delivery of the Goods is required by (*please see Schedule of Deliveries in Section VI. Schedule of Requirements*). Bidders should have completed, within **ten (10) calendar years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from **Department of Social** Welfare and **Development (DSWD) Field Office IX** and inspect the Bidding Documents at the address given below during office hours (8:00 AM to 5:00 PM, Mondays to Fridays.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on Friday, December 8, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **10,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means

- 4. The Department of Social Welfare and Development (DSWD) Field Office IX will hold a Pre-Bid Conference¹ on 9:30 AM, Saturday, December 16, 2023 at DSWD Field Office IX, Zamboanga City and/or through video conferencing or webcasting via Google meet.google.com/ which shall be opened to prospective bidders. All interested parties are required to send their email address to bac.dswdfo9@gmail.com for the provision of the meeting link.
- 5. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 9:00 AM, Thursday, December 28, 2023. Late bids shall not be accepted.
- 6. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 7. Bid opening shall be on or before 9:30 AM, Thursday, December 28, 2023 at the given address below and/or via Google Meet. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 8. The **Department of Social Welfare and Development (DSWD) Field Office IX** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 9. For further information, please refer to:

MA. CORAZON G. SUMICAD
Chairperson Bids and Awards Committee
Department of Social Welfare and Development (DSWD) Field Office IX
General Vicente Alvarez St., Zamboanga City
bac.fo9@dswd.gov.ph
Tel. No. (062) 991-6030
https://fo9.dswd.gov.ph/

10. You may visit the following websites:

For downloading of Bidding Documents: https://fo9.dswd.gov.ph/procurement-advisory/procurement/public-bidding-2023 -2/

MA. CORAZON G. SUMICAD

Chairperson, Bids and Awards Committee

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Department of Social Welfare and Development (DSWD) Field Office IX wishes to receive Bids for the Upgrading of Admin Building and Dormitory at DSWD FOIX, Home for Women. ITB 2023-12-092

The Procurement Project (referred to herein as "Project") is composed of **One** (1) lot the details of which are described in Section VII (Technical Specifications)..

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of SIX MILLION, EIGHT HUNDRED TWENTY-EIGHT THOUSAND, TWO HUNDRED FIFTY-THREE PESO(S) AND SEVENTY HUNDREDTH(S) (Php ₱6,828,253.70).
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or

through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

The Bidder's SLCC should have been completed within ten (10) years prior to the deadline for the submission and receipt of bids.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at DSWD Field Office IX, Zamboanga

City and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB.**

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid special PCAB License in case of Joint Ventures, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the BDS.

11. Documents Comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid **for Ninety (90) calendar days from opening of bids**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause			
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be:		
	Building Construction with Fire Alarm System		
	Project duration is expected to finish within 140 Calenday Day upon work commencement (NTP)		
	The Bidder's SLCC as indicated in ITB Clause 5.2 should have been completed within ten (10) years prior to the deadline for the submission and receipt of bids.		
7.1	Subcontracting is not allowed.		
10.3	PCAB License, Category "Atleast Category C and D., Size Range atleast "Small B""		
10.4	The key personnel must meet the required minimum years of experience set below:		
	Key PersonnelGeneral ExperienceRelevant ExperienceProject Engineer5 yrs as practitioner5 yrs building constructionSafety Officer3 yrs as practitioner3 yrs building constructionConstruction Foreman5 yrs as practitioner5 yrs building construction		
10.5	The minimum major equipment requirements are the following:		
	Equipment	Capacity	Number of Units
	Welding Machine Electric Sander Concrete Mixer		Atleast 1
12	[Insert Value Engineering clause if allowed.]		
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: a. The amount of not less than Php P136,565.07 [Indicate the amount equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; ort;		

	b. The amount of not less than Php ₱341,412.69 [Indicate the amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond
19.2	Partial bids are NOT allowed
20	[List licenses and permits relevant to the Project and the corresponding law requiring it, e.g. Environmental Compliance Certificate, Certification that the project site is not within a geohazard zone, etc.] Secure Permits and Clearances as maybe required by the Local Government
21	Additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, such as construction schedule and S-curve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
 - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the SCC, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the SCC.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	[If different dates are specified for completion of the Works by section, i.e. "sectional completion," these dates should be listed here.] Please refer to Section VI. Specifications.
4.1	[Specify the schedule of delivery of the possession of the site to the Contractor, whether full or in part.] Upon Receipt of Notice to Proceed from the PE, effective immediately the contractor can commence already the full implementation
6	The site investigation reports are: [list here the required site investigation reports. Not Needed
7.2	[Select one, delete the other.] [In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as classified under the National Building Code of the Philippines, concrete/asphalt roads, concrete river control, drainage, irrigation lined canals, river landing, deep wells, rock causeway, pedestrian overpass, and other similar semi-permanent structures:] Five (5) years.
10	N/A
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within [5] days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is 1% of the ABC
13	The amount of the advance payment is [insert amount as percentage of the contract price that shall not exceed 15% of the total contract price and schedule of payment]. The amount of the advance payment is 15% of the total contract price and schedule of payment. The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum. The advance payment shall be made only upon the submission to and acceptance by the procuring entity of an irrevocable standby letter of credit of equivalent value from a commercial bank, a bank guarantee or a surety bond callable upon demand, issued by a surety or insurance company duly licensed by the Insurance Commission and confirmed by the procuring entity. The advance payment shall be repaid by the

	contractor by deducting fifteen percent (15%) from his periodic progress payments, a percentage equal to the percentage of the total contract price used for the advance payment. The contractor may reduce his standby letter of credit or guarantee instrument by the amounts refunded by the Monthly Certificates in the advance payment
14	[If allowed by the Procuring Entity, state:] Materials and equipment delivered on the site but not completely put in place shall be included for payment. Payments to the CONTRACTOR will be made only for the actual accomplishment and/or material utilized, which may be subdivided into progress percentages, specifically initial billing is at least 20%, of the total WORKS, certified by the DSWD Engineer as performed by the CONTRACTOR in accordance with the plans, specifications and program of works/construction schedule
15.1	The date by which operating and maintenance manuals are required is [date]. The date by which "as built" drawings are required is [date]. The contractor must provide with as "built" Plan drawings 15 days after completion of the project certified by the DSWD Engineer
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is [amount in local currency]. Non - provision of as "built" drawings after 15 days of project completion, the PE will withhold 1% of the contract cost

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be

accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

TECHNICAL SPECIFICATION

Requesting OBSU : DSWD FO IX CRCF

TA Subject/Title : Upgrading of Admin Building and Dormitory at DSWD FOIX, Home for Women

Project Duration : 140 CALENDAR DAYS
Upon Receipt of Notice to Proceed from the PE, effective immediately the contractor can commence already the full implementation

Item	Description and Specification	Actual/Sample Picture (if applicable)
1	Facilities of the Engineer – the following shall be provided by the contractor following the conditions as stated in "Part A & B of the DPWH Blue Book Vol. 2. a. Office & Laboratories b. Transportation Services c. Project Engineer & Assistant d. Communication e. Photographs of the construction activities. f. Workmen Accommodation g. Medical Room and other First Aid Facilities h. Latrines	Refer to DPWH Blue Book Volumes 2 & 3
	GENERAL All parts of the construction shall be finished with first-class workmanship to the fullest talent and meaning of the plans and Specifications and to the full satisfaction of the DSWD technical personnel and the end-user.	
	The DSWD should be informed in writing of any revisions or variances seen in the actual implementation. Any variance to be made is not permitted unless otherwise approved by DSWD.	
	Work will commence upon the issuance of Notice to Proceed by DSWD. Payment shall be based on the actual percentage of accomplishment, to be validated by the RPMT Engineers and end-user.	
	The warranty is One (1) year from project completion up to final acceptance or the defects liability period as stated in the 2016 Revised IRR of RA 9184.	
	The contractor shall undertake the repair works, at his own expense, of any defect or damage to the infrastructure projects on account of the use of materials of inferior quality within ninety (90) days from the time the Head of the Procuring Entity has issued an order to undertake repair.	
	It shall be the responsibility of the contractor to complete the project amidst any impediments that will arise during the implementation phase.	
	The period for the completion of the project will not be affected by any equipment breakdown or damaged during implementation. Immediate replacement shall be shouldered by the contractor. Delays will be subjected to liquidated damages provided in RA 9184.	

Failure of the contractor to abide on all the provisions stipulated herein shall give rise to the right of DSWD Site Engineer to order stoppage of work, upon the issuance of Notice of Suspension approved by the head of the agency, while the period to complete the project shall continue to run, in addition to the penalties that may be imposed by this agency and/or local and national government agencies for non-compliance of this provision. The contractor shall furnish As-Built Plan and other technical documents (PERT-CPM, Logbook of Daily Activities) as part of the requirement for issuance of Completion Certificate and Final Billing payment.	
Material Testing	
All materials to be used for this contract shall be inspected, tested and accepted by the concerned unit or agency prior installation. Failure to comply with this provision, the implementing unit shall have the right to order "REMOVE AND REPLACE" the said materials at the expense of the contractor with the period continue to run and without time extension.	
materials engineer, who shall be at the premises of the principal office of the contracting company during inspection. Appropriate licenses and documents shall be readily available.	
The contractor cannot proceed with the next work item unless he can present that the materials indeed passed the testing requirements, in which case, the DSWD site engineers have the right to demand from the contractor, otherwise, the DSWD site engineers may order the stoppage of work while the period to complete the project shall continue to run.	
Material Testing for Structural Concrete, Reinforcements and Structural Steel is required as per testing standard of DPWH (Department of Public Works & Highways).	
DEMOLITION WORKS Demolition works shall be executed with harness. Existing roofing shall be removed and be secured in place where our elderly individuals cannot be harmed. The area shall be well secured and that the clients of the center cannot easily get in and to avoid accidents. They should secure that debris will not harm the people around specially the clients.	Refer to DPWH Blue Book Volumes 2 & 3
Clearing must be carried out in advance of any site works operations. The building site shall be levelled to a suitable grade in accordance to the plan. This shall include the removal of all foreign material and vegetation, except trees and plants required to be preserved, from within the boundaries of areas affected by earthworks or other areas to be cleared as designated on the Drawings. All foreign material and vegetation cleared except topsoil must be removed from the site and is to be deposited at the appropriate disposal site. Burning off of these materials is not permitted. Prior to any excavation works, the building lines shall be staked out and all lines and grades shown in the drawings accurately established. Batter boards where construction reference marks have been indicated should be erected such they would not be disturbing during the excavation for the foundation of the building. B. Structural Excavation All excavation shall be made to grade in the drawings. Where the building site is covered with any kind of fill, the excavation for footings shall be made deeper until the specified capacity of soil is reached. If water is present at the excavation site, it shall be removed by bailing or pumping. Great care should be taken in order that the surrounding soil is not eroded or cave in. C. Embankment: Filling, Grading and Compaction	Refer to DPWH Blue Book Volumes 2 & 3 Item 800-clearing. grabbing Item 801- Removal of Structures and Obstruction Item 802- Excavation Item 803 – Structural Excvation Item 804 – Embankment Item 805 - Dredging
	rise to the right of DSWD Site Engineer to order stoppage of work, upon the issuance of Notice of Suspension approved by the head of the agency, while the period to complete the project shall continue to run, in addition to the penalties that may be imposed by this agency and/or local and national government agencies for non-compliance of this provision. The contractor shall furnish As-Built Plan and other technical documents (PERT-CPM, Logbook of Daily Activities) as part of the requirement for issuance of Completion Certificate and Final Billing payment. Material Testing All materials to be used for this contract shall be inspected, tested and accepted by the concerned unit or agency prior installation. Failure to comply with this provision, the implementing unit shall have the right to order "REMOVE AND REPLACE" the said materials at the expense of the contractor with the period continue to run and without time extension. It is a matter of requirement that the contracting company must have its own materials engineer, who shall be at the premises of the principal office of the contracting company during inspection. Appropriate licenses and documents shall be readily available. The contractor cannot proceed with the next work item unless he can present that the materials indeed passed the testing requirements, in which case, the DSWD site engineers have the right to demand from the contractor, otherwise, the DSWD site engineers may order the stoppage of work while the period to complete the project shall continue to run. Material Testing for Structural Concrete, Reinforcements and Structural Steel is required as per testing standard of DPWH (Department of Public Works & Highways). DEMOLITION WORKS Demolition works shall be executed with harness. Existing roofing shall be removed and be secured in place where our elderly individuals cannot be harmed. The area shall be well secured and that the clients of the center cannot easily get in and to avoid accidents. They should secure that debris will not harm


Fill shall be of well compacted, well graded earth or sand and s tree stumps, organic matter, seed and peat etc. The materials re excavations shall be used for filling. Where earth or sand from s excavation at site is used, the quality of such earth or sand shall that obtained from excavation at site, or superior to it. The fills and back fills shall be placed in layers not more than 300 Each succeeding layer shall be thoroughly compacted by wetti rolling. D. Gravel Bedding Gravel used for bedding shall be spread uniformly along the following compacting, and Wall Footing. The bedding shall be construing compacting, a depth of at least 100 mm of gravel remains under the structure.	emoved from the cource other than I be the same as mm in thickness. ng, tamping and full length of the cted so that after	
CONCRETE WORKS Concrete should be mixed thoroughly such that there is uni among the cement and aggregates. The concrete should be forms should be tapped as it is deposited to its final position, to possible of voids in the concrete member which will weaken the structure. Water to be used for mixing concrete shall be clean and free from acids, salts, alkalis, and other organic material. All concrete works for this project shall be undertaken in access standard specifications for plain and reinforced concrete as a government. Concrete shall always be mixed in mechanical mixer. Water shall charged into the drum of the mixer until all other ingredients a drum and mixed for at least one minute. Mixing shall be continuuniform distribution of materials and the mass is uniform consistency. Class A concrete shall be a mixture of 1 part cement, 2 parts fine 4 parts coarse aggregate by volume, plus enough water to make a pliable paste.	vibrated and its prevent formation m amounts of oil, pridance with the approved by the not, normally, be re already in the used until there is in colours and aggregates and	3 al
finish REINFORCING STEEL BARS Reinforcing Steel Bars to be used for this project shall condeformed structural bars meeting ASTM specifications. Reinforcement Steel shall be carefully and accurately cut, bent dimensions and configurations shown in the plans. Bends accordance with the latest National Structural Code of the Philip be tied together at each bar intersection with gauge no. 16 G.I wir Before steel reinforcement is placed in position, the surface of the shall be cleaned of rust, dust, grease and other objectionable simulation would destroy or reduce the bond with concrete. The reinforcement positioned such that there is space between the steel at sides a forms.	or formed to the s should be in pines. They shall e. Refer to DPWH Blue Book Volumes 2 & 3 ne reinforcement ubstances which ent bars must be	-
FORMWORKS AND SCAFFOLDING Forms shall be used wherever necessary to confine the concrete and to shape it to the required line. The formwork shall conform levels and dimensions of the concrete sections shown on the plan. Forms shall have sufficient strength to withstand the pressur placement and vibration of concrete and shall be maintained in Formworks for all reinforced concrete shall be adequately supported to together to maintain the correct positions and the shall concrete. Wooden forms shall be constructed sufficiently tigh bulging of concrete members upon pouring or leaking/draining curing. The forms shall not be removed until the concrete has attained so to support its own weight and any temporary loads placed on it. Togirders and beams may be removed earlier than the bottom additional supports and shoring must be place under until the strength. Form works shall be removed carefully so as to prevent damage Wooden wedge only shall be used between the concrete surface where force is necessary to separate the form from the concrete.	to shapes, lines, as. e resulting from agidly in position. The strength of water during are side forms of forms. However, bey have attained as to the concrete. The side form is to shapes, lines, as to shapes, lines, as to shapes, lines, as to shapes, lines, as the side of the side form is to shapes. The side of th	

bars or tools shall not be used for this purpose. Any concrete damaged in the process of removing the forms shall be repaired in accordance with the provision of concrete specifications.	
Double scaffolding having two seats of vertical supports shall be provided. The supports shall be sound and strong, tied together with horizontal pieces over which scaffolding planks shall be fixed.	
MASONRY WORKS	
A. CHB Laying	
The concrete hollow blocks to be used shall be 4"x8"x16". All cells of concrete hollow blocks to be laid shall be filled with cement mortar fixture of 1 part cement and 2 parts sand, by volume. The horizontal joints between units shall be provided with 1:2 cement mortar mixtures having a thickness of 0.012 meters. All concrete hollow block walls shall be reinforced with 10mm diameter deformed bars spaced 0.60 meters both ways for every concrete hollow block laid horizontally and vertically.	
Reinforcements for the CHB shall be doweled to the reinforcements of the existing floor slab. Chipping is required to be able to expose the steel bars of the floor slab.	Refer to DPWH Blue Book Volumes 2 & 3
B. Plastering	
Masonry and concrete surfaces which call for application of plaster shall be clean, free from dust and loose mortar. Efflorescence if any shall be removed by brushing and scrapping. For masonry surfaces the joints shall be raked out properly, while the concrete surfaces shall be roughed by wire brushing and hacking ensuring proper bonding of plastering mix. The surface shall then be thoroughly washed with water, cleaned and kept wet before plastering is commenced.	
Mortar for plastering should be Class A mixture having a thickness of 0.020 meters.	
CARPENTRY This item shall consist of furnishing and placing of carpentry items as to type, size and shape as shown on plans and detailed estimate. The Gypsum boards shall be screw fixed to the underside of the metal furring. Joint in the board shall be finished flush with fillers, finisher and primer as per manufacturer's recommendation to give a seamless finish. Necessary cut-outs for Electrical and other fixtures shall be provided with a framing of wall channels. The finished ceiling shall be perfectly leveled and aligned, at desired height as per drawings.	Refer to DPWH Blue Book Volumes 2 & 3 Item 1003 Carpentry & joinery works
METAL WORKS A. Roof Frame	
This item consists of furnishing and installation of labor, equipment and tools performing all operations necessary to fabricate, erect and construct a fabricated steel roof frame. The materials to be used for the roof framing such as trusses, struts and web members shall consist of steel angles ½ thick. Other accessories for the roof frames are shown in the details of truss joints and in the roof framing plan. As specified in the plan, all steel joints and connection must be fully welded. Ensure that the materials are in proper position before welding. Prior to the erection of the Steel Frame, each frame shall be inspected by the DSWD Engineers to ensure the quality of the workmanship. The anchors bolts used to secure the connection of the steel frame to the column shall be tied to the reinforcing steel bars with gauge #16 G.I. wire. Steel deck with a thickness 0f 0.8mm shall be used as a part of the second floor slab. B. Metal Furring This item shall include the furnishing and installation of grid system for supporting	Refer to DPWH Blue Book Volumes 2 & 3
ceiling boards.	


The carrying channel and double metal furring shall be placed 1.20 meters and 0.60 meters apart, respectively. W-clips will be used to carry the double metal furring which will be placed at each intersection between the carrying channel and double metal furring. J-clips, threaded rods and anchor bolts will also be furnished for additional support. The metal furring system shall be perfectly levelled and aligned at desired height. C. Railings Provide Steel Hand Railings shall be 2" diameter Stainless Pipe for Ramps. Stainless L-Type grab railing for toilets. 2" diameter G.I Pipe for railings of Emergency Exits to painted with black. **ROOFING WORKS** The Roofing Sheets shall be pre-painted G.I. Roofing (Gauge #26). It shall be free from rust and the zinc covering the time of fixing shall be on perfect condition. The installation of roofing sheets with end laps shall start at the lower part of the Refer to DPWH Blue roof. Each sheet shall be laid on steel purlins with an end overlap of 100mm Book Volumes 2 & 3 minimum. Succeeding upper rows of sheets shall be installed in the same manner Item 1013 - Corrugated until the entire roof area is covered. Sheets should be handled carefully to prevent Metal Roofing damage. Item 1014 – Pre-painted Ridge and hips shall be bolted with at least 250mm lap placed over the roofing Metal Sheets sheets on either side so as to prevent the rain driving under it and together shall be riveted at every second corrugation. **PLUMBING WORKS** This item shall consist of furnishing all materials, tools, equipment and fixtures required as shown on the plans for the satisfactory performance of the entire plumbing system including installation in accordance with the latest edition of the National Building Code, and this specification. All piping materials, fixtures and appliances fitting accessories whether specifically mentioned or not but necessary to complete this item shall be Refer to DPWH Blue furnished and installed. All plumbing rough-in shall be polyvinyl chloride pipes. Book Volumes 2 & 3 Pipes and fitting materials shall comply with specification requirements. Item 1017 – Storm Drain & Sewerage System An automatic fire sprinkler shall be provided in all rooms. Supply, install, set to ITEM 1202 work, test, commission, fully certify and handover a sprinkler system in **AUTOMATIC WATER** accordance with the function and performance requirements and as stated in the SPRINKLER SYSTEM Rules for Automatic Sprinkler Installations published by the Loss Prevention ITEM 1206 - HEATING Council (LPC Rules) incorporating BS EN 12845. **SYSTEM** Ensure all piping is free from burrs, rust and scale and thoroughly cleaned prior to installation in accordance with QA procedures that shall be available to view on During installation of the Works, plug or cap all open ends with purpose-made iron or plastic closures to prevent ingress of dirt. On completion thoroughly flush each system out with clean water. Ensure that adequate drain points are provided for this purpose. The Sprinkler system shall be tested prior in the turning-over of the project. **PAINTING WORKS** All painting works for this project shall be executed with first class workmanship. Surfaces should be thoroughly cleaned to remove mortar, dust, grease, rust, and Refer to DPWH Blue other foreign substances that may be present on areas to be painted. Book Volumes 2 & 3: Surface defects such as cracks, dents, and holes must be filled with putty and item 1032 - PAINTING, sandpapered before final coat of paint is applied. VARNISHING, AND The overall color scheme to be followed in painting the structure shall be left to OTHER RELATED the decision of the DSWD technical personnel. **WORKS** The paint shall be applied by means of brush or roller. No brush marks, no hair marks no clogging of paint puddles shall be permitted.


ELECTRICAL WORKS This item shall consist of the furnishing and installation of the complete conduments work consisting of electrical conduits, conduits boxes such as junction boxes, purposes, utility boxes, octagonal and square boxes; conduit fittings such a couplings, locknuts and bushings and other electrical materials needed to complete the conduit roughing-in work of this project. All materials shall be brand new and shall be of approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark. All lighting fixtures and lamps are specified and listed on lighting fixture scheduled Upon completion of the electrical construction work, the contactor shall provide at test equipment and personnel and to submit written copies of all test results. The contactor shall guarantee the electrical installation are done and accordance with the approved plans and specifications. The contractor shall guarantee that the electrical system is free from all grounds and from all defective workmanship and materials and will remain so for a period of one year from date and acceptance of works. Any defect shall be remedied by the contractor at hown expense. Air Conditioning Units shall be in premium quality and has warranty to ensure the any defects shall be shouldered by the contractor.	Refer to DPWH Blue Book Volumes 2 & 3 Item 1100 – Conduits, boxes & Fittings ITEM 1101 - WIRES AND WIRING DEVICES ITEM 1102 - POWER LOAD CENTER, SWITCHGEAR AND PANELBOARDS ITEM 1200 - AIR CONDITIONING AND
SIGNAGES The General Contractor shall provide Billboards for precautions for Public Safet Billboard signage should be 4'x8' and to be placed in front of the project site. Provide Panaflex Signboard, 0.60mx0.80m single face, lighted photographic flex to be installed at the location as shown in the plan. Four (4) pieces stainless lettering with a dimension of 8" x 8" x 2" and 34 pieces stainless lettering with a dimension 2" x 2" x 1" shall be welded in embedded stern on the 1.1m x 0.8m concrete with 2" thick concrete pedestal base shall be fabricated and painted prior to installation. This shall be installed indicated in the plan. Concrete Sign Board with the logo of DSWD that has a dimension of 0.9m x 0.6m and concrete letterings with 2" thickness concrete pedestal base shall be fabricated and painted to be installed indicated in the plan. CONSTRUCTION SAFETY AND HEALTH	Refer to DPWH Blue Book Volumes 2 & 3
A safety officer should be at the construction site at all times during the construction phase. It is the responsibility of the safety officer to ensure the construction workers are following established policies and safety regulations.	
CONSTRUCTION SUPERVISOR/FOREMAN Similar to the Safety Officer, the Construction Foreman should be at the construction site at all times during the construction phase. The foreperson we schedule work for the crew and may also be responsible for making proposal and obtaining new jobs. Close coordination between the foreman and DSW Technical Personnel is a must to ensure that all specifications are met.	1


Section VII. Drawings


































































































































REPUBLIC OF THE PHILIPPINES DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT GEN. VICENTE ALVAREZ ST., ZAMBOANGA CITY FOR THE PROVISION OF ROOF AT RAMP AREA OF HOME FOR WOMEN DSWD COMPOUND, MAMPANG, ZAMBOANGA CITY

















Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

Name o	f Project	Upgrading of Admin and Dormitory Building	Location	Horne for	Women	, Mampar	ng. Zamboa	nga City
Total Proj	ect Cost	PHP -	Project Du	ration	CD	0	135.00	
Source of	Fund:	Capital Outlay	Mode of F	ocurement:		Public t	Bidding	
Date		October 18, 2023	Source of	Manpower:		By Con	tract	
Item No.	1		Quantity	Unit	Unit 6		Amou	nt
1.	HADDONE HENT	OF RRE SAFETY SYSTEM	- Separation of	- 3.12		arycas.	, retired	
1	SITE WORKS	OF THE SAFEIT STOTEM	0.00	sam.				
2	REINFORCING	STORY BLANCE	-			-		
3		AND SCAFFOLDINGS	140.60					
4	CONCRETE WO			CU.M.				
	MASONRY WO	711000 S.						
6	METAL WORKS	111	11.56	-		-		
-			46.35	-		-		-
7	ROOFING WOR	10.170	15.93			- 1		
8	PLUMBING WO		1.00					
9	ELECTRICAL W		1.00	274		-		-
10	MECHANICAL V		1.00					-
11	PAINTING WOR		10.65			2.0		
12	CONSTRUCTION		45.00	Days		-		
II.	100000000000000000000000000000000000000	OF COOLING SYSTEM	1000					
- 1	DEMOLITION W	10+100+1	1.00			- 1		
2	ELECTRICAL W		1.00	LOT		57+		-
3	PAINTING WOR	iks .	1.00	LOT		1 -		
4	AMENITIES	ALL CONTROL PROGRAMATION	4.00	SETS		5.4		
III.	CONSTRUCTIO	N OF KITCHEN						
	DEMOLITION W	YORKS	20.00	SQ. M.		14		-
2	SITE WORKS		128.96	80. M.		17		
3	FORMWORKS	S SCAFFOLDINGS	434.00	BD. FT		1,4		1.5
4	REINFORCEME	NT STEEL BARS	3128.33	KGS.		1.5		-
5	CONCRETE WO	RKS	28.00	CU. M.		94		
6	MASONRY WOR	RKS	187.65	50 M.		.07		
7	METAL WORKS	1	2460.31	KGS:		- 1		
8	ROOFING WOR	tKS.	130.00	LN. M.		-		-
9	PLUMBING WO	RKS	1.00	LOT		5.5		-
10	ELECTRICAL W	ORKS	1.00	LOT		82		14
11	TILE WORKS		80.00	50. M.		1.0		- 3
12	CARPENTRY W	ORKS	90.72	50. M.		- 2		
13	PAINTING WOR	RKS	291.90	SQ. M.		1.0		1.5
14	DOORS AND W	INDOWS	17.00	SETS		-		
15	FACILITIES & A	MENITIES	5.00	SETS		2.5		12.5
16	CONSTRUCTION	N FOREMAN	60.00	WD		- 2		-
IV	PROVISION OF	ROOF AT RAMP AREA						
1	SITE WORKS	NAME OF THE PARTY	100.00	Sq. M.				
2	FORMWORKS A	AND SCAFFOLDINGS	18.72	Sq. M.		55		
3	REINFORCEME	NT STEEL BARS	299.69	Kgs.		3.4		
4	CONCRETE WO	PRKS	3.71	Cu. M.				
5	METAL WORKS		3266.82	Kgs.		- 3-		14.
6	ROOFING WOR	ucs	437.16	Ln. M.		111		
7	PAINTING WOR	iks .	1.00	Lot		94		-
8	PLUMBING WO	RKS	1.00	let				-
9	CONSTRUCTION	N FOREMAN	30.00	WD		89		- 4
	A	Total Direct Cost	(Material, La	bor and Eqs	apment)			
	В		OCM (15% e					
	C D		otor's Profit ('AT (% of A+I					
100	55.5	TOTAL PROJECT C	9430			19	PHP	-

					0.000	on ive		vest trovaries	0317		
								DR	Ю:		
lam	e of i	Project.		Upgrading of Domitory Bu		Location: Home for Women, Mampang, Zamboanga City					
in the second	Project (Cont.		PHP	6 N/M 153 76	Project (harmon 140.08 cd					
	a affine			Capital Outlay	0,210,253.76	10-52 LY	roomenunt:		Competitive		
ade:		-		October 10, 2023		12.55	Mergowe		Contractor	, come	
	TO POSSESSE A RESOLUTION DE LA CONTRACTOR DE LA CONTRACTO										
No.				Duantity	Unit	So.of days	Waterial Cost	Leber Cost	Unit Cost	Amount	
	18	WPROVE	MENT OF FIRE	E SAFETY SYSTEM							
1	tris:	WORKE			6.28	*40					
	1.1	Cleate	ng & Layouting	g .	6.28	54M					
-		111	Coco Lumbor			Dr. Pt.					
		1112	P CW Ness	6.10	4.00						
-			Carporter	10		Ket paneo	1				
			Laborer		_		1		1 11		
	12	Denot		ng Guller Calling groun of 2nd Soor	od 549.59	eqn.	Α.				
		121	Capater		2.00	person	5.00				
		_	Laborni			person	3,00				
		_	Caparter			pener	6.00				
_		_	Laborn			petion	6.00		1		
	13		ural Excavatio	0		ture.	L conf				
	1.0	-	Luberol Masent			person.	1:00				
	2.4	LET	Laboret	10		permit	100		-		
_	1.5	-	Bedding			cum.	1001		-		
	1.00	151	Nicedand No	arter Court		num.	1		1		
_		1162	Labour	Dien Versich	7.000	person.	1.00		1		
		18124111	-				WORKS)				
2	REN	FORCING	STEELBARS	R.	140.60	kgs					
	9.1	10re	de +tan-a	t def trac	38.00	Leigths.					
	27	g 96 t	0.1 Tie Wire	ACTION NO.	4.00	-					
	23	Stouts	****		1.00	pierson	2.00				
	2.4	Latore			1 00	person	2.00				
			n one chart		SUB-TOTAL (RE	EINFORCE	NGSTEELBA	RSI.			
3	FORM	MVCRKS	AND SCAFFO	ALDINGS	95,61	bdft	10.	322	40 40	1.5	
	3)	men	ett' Com Land	ber (teo use)	19 (0)	Billi					
_	-	-			275755						
	3.7	2000	www.electrical.com		00.70						
		10000	SZ Circo Luny	ter	86.52	3671					
	3.3	_	s Fell (volum)	fer Phasos fermon	1.68	photo.				- 5	_
	54	1.5 to	s Fell (volum)	7.75	0.000					1	_
	F	4° CV	s Fell (volum)	7.75	1.68	phin.				2	
	54 54 54	4" CV	s Pall Debrusy Vitalia	7.75	1.68 5.09	yide. Kgn				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	54 51 51	4" CV	s. state bedrainy Vitalia Vitalia VVNode	7.75	1.64 5.09 2.00	yide. Kgn Kgn					
	54 54 54	4" CV 3" CV 11/7 C	e d'all' britanis l'Holto CWHade	yPhwood flees unton	1.68 5.00 2.00 5.00 1.00	ires Kgs Kgs Kgs person person	1.				
	54 53 57 54	4" CV 3" CV 1 N° C Carper Lators	s. d'all' Dictriury l'Hollo I Wilde I Wilde der	yPhwood flees unton	1.50 5.00 5.00 1.00 1.00 1.00	ires Kgs Kgs Kgs person person	1.	LDINOS)			
4	54 53 57 54	4" CV 3" CV 11/7 C	s. d'all' Dictriury l'Hollo I Wilde I Wilde der	yPhwood flees unton	1.50 5.00 5.00 1.00 1.00 1.00	ires Kgs Kgs Kgs person person	1.	LDINOS)			
4	54 53 57 54	4" CV 3" CV 1N" Carper Labors	s. d'all' Dictriury l'Hollo I Wilde I Wilde der	yPhwood flees unton	1.50 5.00 5.00 1.00 1.00 1.00	ires Kgs Kgs Kgs person person	1.	LDINISS)			
4	54 53 53 53 54 54 50 50	4" CV 3" CV 1 N" C Carper Labora CRETE W Pofis	s. d'all' Dribrary ir faille I' Nolls I' Vi Nolls I' Vi Nolls I' Vi Nolls I' Vi Nolls I' Vi Nolls I' Vi Nolls	yPhwood flees unton	1.58 5.00 10.00 5.00 1.00 1.00 0 - TOTAL FORM	Heli. Kign. Kign. Kign. Kign. Kign. Kign. person person works A	1.	LD(NOS)			
4	54 53 57 54 CONC	4" CV 3" CV 11/" C Carper Lebors CAETE W Ports Wash	ic d'all' Dictriury infaille (Note: CWHede: Ser of CORKS	yPhysical (less union)	1.55 5.00 5.00 1.00 1.00 1.00 0- TOTAL FORM 5.27	Help. Kgs. Kgs. Hgs. person person works A CUM. Hags.	1.	LD(NOS)			
4	54 53 57 54 conc	4" CV 3" CV 11/" C Carper Lebors CAETE W Ports Wash	is after Districtly in the little in the lit	yPhysical (less union)	1.55 5.00 5.00 6.00 1.00 8.00 1.00 9. TOTAL FORM 5.27	Kgs. Kgs. Kgs. Kgs. person parson parson purson CU.M. Bags.	1.	LD(NOS)			
4	5.4 5.8 5.7 5.8 conc 4.1 6.1	4" CV 3" CV 11/1" Carber Cators Cators Cators Week Vision	is after Districtly in the little in the lit	yPhysical (less union)	1.55 5.00 5.00 6.00 1.00 5.00 1.00 5.27 11 11	Kgs. Kgs. Kgs. Kgs. person parson parson parson CUM. Hags. Core.	MDSCAFFO	LD(HOS)			
4	54 53 57 54 conc 4,1 61	4" CV 3" CV 11/1" Carper Castors CASTE W Poffer Wash Wash	is after Districtly in the little in the lit	yPhysical (less union)	1.55 5.00 10.00 5.00 1.00 1.00 0-TOTAL FORM 5.27 11 1	ship. Kgs. Kgs. Kgs. person parson Works A CUM. Mags. Com. Gom. person	ND SCAFFO				
4	5.4 5.8 5.7 5.8 cone 6.1 6.1 6.1	4" CV 3" CV 11/1" Carper Castors CASTE W Poffer Wash Wash	is a fall factories, in table in Noble in Noble	yPhysical (less union)	1.55 5.00 10.00 5.00 1.00 0-TOTAL FORM 5.27 11 1 1 2 32 10 8.48 - TOTAL	ship. Kgs. Kgs. Kgs. person parson Works A CUM. Mags. Com. Gom. person	ND 9 CAFFO				
	5.4 5.8 5.7 5.8 cone 6.1 6.1 6.1	4" CV S" CV 11/1" Cusper Custom Custom Poster Wash Wash Custom Cu	is a fall factories, in table in Noble in Noble	yPhysical (less union)	1.69 5.00 10.00 5.00 1.00 5.27 11 1 1 2 32 10 8JB - TOTAL	into. Kgs. Kgs. Kgs. person parson person person person	ND 9 CAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 11/1" C Carper Lebons Potes Ween Vesion Manon Lebons CHB'S CHB'S T11	is a roll broken, in the broken, in the broken in in the broken in the b	yPhysical (less union) 642	1.55 5.00 1.00 5.00 1.00 1.00 0- TOTAL FORM 5.27 11 1 2 2 3 10 8.06 - TOTAL 11.56 11.59	into. Kgs. Kgs. Kgs. Kgs. person person Works A CUM. Rags. Com. Cum. person p	ND 9 CAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 119" C Carbon Carbon Water Water Water CHB C CHB C 511	is a fall broken, in hole in h	(Physical (less union) 644 18)	1.55 5.00 5.00 1.00 1.00 1.00 1.00 1.00	ship. Kgs. Kgs. Kgs. Kgs. person	ND 9 CAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 119" C Carper Lators Pota Water Vision Manon Lators CHRY WC CHR S 111 5 cr	is a fall broken, in the broken in the broke	(Physical flats units) 604 18) 18) 187 187 187 187 187 187	1.58 5.00 5.00 1.00 1.00 1.00 0.00 1.00 0.00 1.00 0.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.27 1.00 1.00 2.27 2.27	Iffe, Kgs. Kgs. Kgs. Kgs. Jerson person person CU.M. Hags: Curs. person pe	ND 9 CAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 11/1" Compet Custors Custors Wash Wash Wash CHB S 5101 5101	is a fall broken, in the late of the late	(Physical Bies union) 604 My met d	1.58 5.00 5.00 1.00 1.00 0. TOTAL FORM 5.27 11 1 2 3 10 8UB - TOTAL 11.59 30.00 3.50 4.50 3.50 4.50 3.50 4.50 3.50 4	Into. Kgn. Parson Parson Fags. Cu.M. Rags. Cum. Fags. Cum. Fags. Cum. Fags. Fags. Sum. Sum. Sum.	ND 9 CAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV S' CV	is a fall britain, in this is invited in inv	(Physical Bies union) 604 My met d	1.55 5.00 5.00 1.00 5.00 1.00 0. TOTAL FORM 5.27 11 1 2 3 10 3.05 11.59 2.50 11.59 2.50 15.00 2.50 15.00 2.50 15.00 2.70	into. Kgn. Kgn. Kgn. Kgn. Kgn. gerson person	ND SOAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 119" C Cather Labors Watch Watch Labors Cattors Cattors Cattors College Co	is a fall factories, in the fall factories of the factori	(Physical Bies union) 604 My met d	1.55 5.00 5.00 1.00 5.00 1.00 1.00 1.00	ship. Kigs. Kigs. Kigs. Kigs. Jerson Jerson Gunt. Gunt. Jerson	MD SCAFFO				
	5.4 5.3 5.7 5.8 5.7 5.8 6.1 6.1 6.1 6.1	4" CV 3" CV 119" C Caper Labors Wash Wash Wash Cattors With State Control Cattors With State Ca	is a fall britain, in this is invited in inv	(Physical Bies and) (Qui	1.55 5.00 1.00 5.00 1.00 1.00 1.00 1.00	into. Kgn. Kgn. Kgn. Kgn. Kgn. gerson person	MD SCAFFO				
	SIA SIA SIA SIA SIA CONC AL SIA SIA SIA SIA SIA SIA SIA SIA SIA SIA	4" CV 3" CV 119" C Caper Labors Wash Wash Wash Cattors With State Control Cattors With State Ca	is a fall Dickney, Visible Vis	(Physical Switzers) 642 161 1 a month Hollow Diccle 60 oning Swell Balls Nige	1.55 5.00 1.00 5.00 1.00 1.00 1.00 1.00	into. Kign. Kign. Kign. Kign. Kign. Kign. Kign. Kign. Jerson	MD SCAFFO				

	525	Elisson Laborer	1.00	person	2.00			_		_
-	p.o.	Table 1	SUB-TOYN	Ben's transfer trans		4	-			
MET	AL WOR				ALL PACKET					
-	al temporaries	0.00	46.35						-	
0.1	-	Framing Works		trusses		_	-	-		
-	811	50mm2 Sprod. 40 G (Pipe	2.00	Livegife			-			
-	6.01	Steel Melting	2.00	286409			_	_		
-	812	12mm(2 ASO) v 450mm Anchor Boll Wedding Floratmoles (2 Sing)	10.00	tion .	_		_	_	_	
_	814	Grinding Disc	5.00	243			_	_		
-	811	Colony Dev	838	-	_		_	_		
-	615	Red Gode Betal Primer	100	ges ger				_		
-	8.17	2' Pair Brish	5.00	žes			_	_		
_	11.12	ade editron)		person.	12		_	_	_	
_	0.13	Laberer		person	2					
	625	Steoman		person	10					
	500	Labour		\$6500	2					
	K 22	Visiting Machine	4.06	daye						
0.2	C-Pu	rtirs installation	32.40	Inm		1				
	1821	1.2mm x 50mms/Senn C-pating (slane)	9.00	Lengths						
	6.22	Stem x 50mm s 50mm s Angle Bur	1.00	Length						
	639	Whiting Electrodes (2 Sig)	3.00	boses						
	9.74	Red Dride Dated Person	3.00	9#						
	625	2" Paint Brain	3.06	pes			1		- 1	
	125	Cuting Ditor	2.00	245						
	637	Mison	1.00	peson	t					
	0.29	Labeter		person	†					
	629	Viniting Mactime		days			1			
			SUR - YOY	AL (META	T MOSKS	4).	1.77			
R00	FING WO	ORMS	15.93	sqn						
1	7.1 Roof	Covering								
	1000	F00 type d're-painted feed)	10000	000						
	CH	8 Attention 70m -21 sets 0 40mmn 70m -6 sets	1591							
	00	Tecksowe E' (Steel)	232:00	per						
	1.12	3/46" Dissel Dell Hit (Dovice)	9.00	pist.						
	7.45	0.5 Mar Roof Senintri	3.00	stant :						
	7.13	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.5%	pes:						
+	710	Stedmen	17.5	person -	2					
	-	Strailman	1.00	genton	-					
	710	A STATE OF THE PARTY OF THE PAR	1.00	person person	2	C81				
PEUT	1115	Steathrosis Luberus	1.00 1.00 1.00 1.00 1.00	pencon pencon L (ROOF)	2	(8)				
-	710 115 MBING M	Streitmen Leberari KORKS	1.00	pencon pencon L (ROOF)	2	(8)				
8.1	7 to 7.15 MBIH G M	Streimen Luberer Luberer MORKS Hall for /fire Sprinkler System	1.00 1.00 8UB - TOTA 1.00	person person IL PROOFI But	2	(8)				
8.1	T to 115 Million C M Million C M Million Lotte	Stealmen Lebense WORKS right for Fire Sprinkler System or & Materials for Fire Sprinkler System (6)	1.00 1.00 8UB - TOTA 1.00	person person IL PROOFI But	2	(8)				
-	T to 115 Million C M Million C M Million Lotte	Streimen Luberer Luberer MORKS Hall for /fire Sprinkler System	1.00 1.00 8UB - TOTA 1.00	person person IL PROOFI But	2	(8)				
8.1	T to 115 Million C M Million C M Million Lotte	Stealmen Lebense WORKS right for Fire Sprinkler System or & Materials for Fire Sprinkler System (6)	1.00 1.00 8UB - TOTA 1.00	person person IL PROOFI But	2	(8)				
8.1	Attune C M State Lone Mane	Stealmen Lebense Lebense scenes risch für /fre Sprinkler Syaner or & Materials für File Sprinklor System (S v Supply für Filesp House	1.00 1.00 SUB - TOTA 1.00 Fite spilleder to	person person L (ROOFI but	2	(8)				
8.1	7 to 115 Missel C.W Stories Lotte C.W Missel	Steamen Leberor Lebe	1.00 1.00 8UB - TOTA 1.00 Fits © BROWN IN 5.00 1.00	person person IL ROCFI tief tod)	2	(8)				
8.1	THE STATE OF THE S	Stealmen Leberor Leberor KORKS Heist for Fire Sprowler System or & Materials for Fire Spillation System (45 * Supply for Funty House Standard Shall Mater Task 2000 Bers 25mm galacular PPR 25mm place salace PPR	1.00 1.00 8UB - TOTA 1.00 Fits © BROSE N 5.00 1.00	person person to tests pc pc	2	(6)				
8.1	Attack of Market	Steamen Leberor Lebe	1.00 1.00 8UB - TOTA 1.00 Fits © BROWN IN 5.00 1.00	person person IL ROCFI tief tod)	2	(6)				
8.1	THE STATE OF THE S	Stealmen Leberor Leberor KORKS Heist for Fire Sprowler System or & Materials for Fire Spillation System (45 * Supply for Funty House Standard Shall Mater Task 2000 Bers 25mm galacular PPR 25mm place salace PPR	1.00 1.00 8UB - TOTA 1.00 Fits © BROSE N 5.00 1.00	person person to tests pc pc	2	(8)				
8.1	Attack of Market	Stealmen Laboral Laboral High for Fire Sprowler System or & Motorios for Fire Sprinklor System (Six Supply for Fireign House Sommons Steel Motor Tank 2000 there 25mm galle value PFR 25mm chante syste PFR 25mm Chante	1.00 1.00 9UB - TOTA 1.00 Fin continue is 5.00 1.00	penson penson in ROOSI fed torits pe per unit	2					
8.1	A 115 AMBIER C M State Lotte Marie Lotte Marie Lotte A 200 A	Steamer Laboral Labora	1.00 1.00 9UB - TOTA 1.00 Fith spitteder to 5.00 1.00 1.00 1.00	penson penson L, proofs feet tores pe pe pe pe pe pe pe pe pe p	12 NGWORK					
8.1	Marie C.M. State Lote Marie	Stealmen Leberor Leberor KORKS Heist for /fire Sprowler System or & Materials for Fire Spillakor System (45 or Supply for Furtip House Standard Sharl Mater Task 2000 flore 25mm galacelor PPR 25mm Filance 25mm Elbor PPR Flumbart Missort	1.00 1.00 8UB - TOTA 1.00 Fin @ Bloom in 5.00 1.00 1.00 3.00	person person tu proces test torits per per per person person	204 204					
92	Mane Long	Stealmen Leberor Leberor KORKS Heist for /fire Sprowler System or & Materials for Fire Spillakor System (45 or Supply for Furtip House Standard Sharl Mater Task 2000 flore 25mm galacelor PPR 25mm Filance 25mm Elbor PPR Flumbart Missort	1.00 1.00 8UB - TOTA 1.00 Fin @ moon in 5.00 1.00 1.00 1.00 1.00 2.00	person person tu proces tot tores per person person person tu pruse	204 204					
92	Mane Lone Lone Lone Lone Lone Lone Lone Lo	Stellmen Leberor Leberor KORKS Hein for /fire Sprowler System or & Malerion Str Fire Spilletion System (45 * Supply for Fump House Standard Shell Maler Task 2000 flore 25 mm galaceler PPR 25 mm Filletin 25 mm Elbor PPR Filletini Misson Libbons	1.00 1.00 8UB - TOTA 1.00 Fin @ moon is 5.00 1.00 1.00 1.00 1.00 2.00 8UB - TOTA 1.00	person person tu proces tot tores per person person person tu pruse	2.04 2.04 2.06 WORK					
93	Mane Long	Stealmen Laboral Laboral Stein for Fire Sprowter System or & Materials for Fire Speaker System (S * Supply for Florage House Sometime Steil Mater Tank 2000 there 25 mm gale value PFR 25 mm of texts value PFR 25 mm E box PFR Flumbatt Misson Liboral WORKS or Rough in	1.00 1.60 8UB - TOTA 1.00 Fin spilleter in 5.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person turbs pe person person person typuses turbs typuses typuses typuses typuses typuses typuses typuses typuses typuses	2.04 2.04 2.06 WORK					
93	Mane Lone Lone Lone Lone Lone Lone Lone Lo	Stealmen Laboral Laboral Solida for Fire Sprowter System or & Materials for Fire Sprowter System (S or Supply for Florage House Soundarie Steal Mater Tank 2000 there 25 man gale value PFR 25 man Florage 25 man Florage Floradort Material Liboral WORKS or Rough in JF 44" Mility Maters Pro	1.00 1.00 8UB - TOTA 1.00 Fin @ moon is 5.00 1.00 1.00 1.00 1.00 2.00 8UB - TOTA 1.00	person person tupor turbs pc pm person person tupor turbs person tupor turbs person tupor	2.04 2.04 2.06 WORK					
93	Mane Long	Stealmen Leberor Leberor Leberor Steinh for / Pre-Sprowler System or & Materials Str File Spilakion System (45 * Supply for Fump House Standard Street Mater Task 2000 Bers 25mm gale value PPR 25mm Fileson 25mm Elbox PPR Plumber Misson Lebons WORK 5 or Rough In 21 4 4 Unity Maxes Pvs 41 Analise Berse PvC vi deen	1.00 1.60 8UB - TOTA 1.00 Fin spilleter in 5.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person turbs pe person person person typuses turbs typuses typuses typuses typuses typuses typuses typuses typuses typuses	2.04 2.04 2.06 WORK					
93	Maint de Marie de Mar	Spelmen Laboral Schills Helin for Fire Spreador System or & Moleriols for Fire Spreador System (S Southern Shell Mater Task 2000 Nors. Strong pile union PFR Zinner Finance Zinner Elbor PFR Flumber Misson Laboral WORKS or Flough In If a 4" (Mile) Mostor PVI If Availing Norse PVIC of closer (Ordingmin)	1.00 1.00 9UB - TOTA 1.00 Fith spitterer to 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.00 8uB - TOTA 1.00 2.00	person person turbs person person person turbs person person turbs turbs person person turbs tur	2.04 2.04 2.06 WORK					
93	Maint de Marie de Mar	Spelmen Laboral Schills Side for Fire Spreador System of & Moleries for Fire Spreador System (S Septy for Futtip House Standard Shell Mater Task 2000 Bers 25mm pale value PFR 25mm Figure 25mm Elbor PFR Flunder Misson Laboral WORKS or Flough In If a 4" (Millighberts Pvi) If Availing Bores PVC of clook (Ordigmail) If die RSC Pipe	1.00 1.00 1.00 1.00 5.00 1.00 1.00 1.00	person person turbs person person person person turbs turbs person person turbs turb	2.04 2.04 2.06 WORK					
93	Manie de Man	Stealmen Laboral Steals for Fire Spreador System or & Moleries for Fire Sprinker System (S Supply for Futtip House Steal these Shell Mater Task 2000 Bers 25 man pale union PSR 25 man Fibration 47 Available Beares PVC of obsert 90 designable 17 due RSC Pipe Scient Fibration	1.00 1.00 1.00 1.00 5.00 1.00 1.00 1.00	person person turbs per	2.04 2.04 2.04 2.09 WGWORN	K fi)				
93	Manie Composition of the composi	Stealmen Laboral Stell for Fire Spreader System or & Moleries for Fire Sprinkler System (S Supply for Futtip House Steal for Shell Water Task 2000 Bern 25 man pale value PSR 25 man Fibration 47 Author Mason 47 Author Bases PVC of obeer (Ootsigmail) 47 Author Bases PVC of obeer (Ootsigmail) 47 Author Bases PVC of obeer (Ootsigmail) 48 RSC Pipe 50 Resident Fibration	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person turbs person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Manne de Man	Stealmen Laboral Steals for Fire Spreador System or & Molerios for Fire Sprinklor System (S Supply for Futtip House Some pain value PSR Zinne Littles wyler PSR Zinne Littles wyler PSR Flumber Mason Littles T 44" (Milly Mason PVR T Availing Bases PVR T Availing Bases PVR Codegmail T die RSC Pipe Scene Endelial Endeliale Laboral	1.00 1.00 1.00 1.00 5.00 1.00 1.00 1.00	person person turbs per	2.04 2.04 2.04 2.09 WGWORN	KS)				
93	Manne de Man	Stealmen Laboral Stell for Fire Spreader System or & Moleries for Fire Sprinkler System (S Supply for Futtip House Steal for Shell Water Task 2000 Bern 25 man pale value PSR 25 man Fibration 47 Author Mason 47 Author Bases PVC of obeer (Ootsigmail) 47 Author Bases PVC of obeer (Ootsigmail) 47 Author Bases PVC of obeer (Ootsigmail) 48 RSC Pipe 50 Resident Fibration	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person turbs person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Manne de Man	Stealmen Laboral Steals for Fire Spreador System or & Molerios for Fire Sprinklor System (S Supply for Futtip House Some pain value PSR Zinne Littles wyler PSR Zinne Littles wyler PSR Flumber Mason Littles T 44" (Milly Mason PVR T Availing Bases PVR T Availing Bases PVR Codegmail T die RSC Pipe Scene Endelial Endeliale Laboral	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Manne de Man	Spelmen Laboral Laboral Stein for Fire Spreador System or & Molerion for Fire Spreador System (S) Supply for Futtip House Steintens Shell Mater Task 2000 flora 25mm pale value PFR 25mm Finance 25mm Elbor PFR Further Misson Laboral " 44" (Milliphases Per " 4" Available flores Per " 50mm Personal " 4" Available flores Per " 50mm Personal " 50mm Per	1.00 1.00 9UB - TOTA 1.00 5.00 1.00 1.00 1.00 1.00 2.00 2.00 2.00 2	person person tu proces person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Missississississississississississississ	Specimen Laboral Schild for Fire Specialist System or & Malerials for Fire Specialist System (Six Supply for Fire) Process Sometime Shart Moore Task 2000 there 25 may play when PPR 25 may from these water PPR 25 may Fire the PPR 25 may Fire the PPR Plumber Mason Laboral WORKS or flough in 27 s 4" (talky theses PVI) 4" Analise Bases PVC of open (Odegmail) 1" dis RSC Pipe Solve Fire base Fire the secon Laboral Laboral Solve Fire Special Fire the Standard 5 Secon Fire Standard 5 Secon Fire Standard 5 Secon Fire Standard	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person to proces person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Missississississississississississississ	Specimen Laboral Schild for Fire Specialize System or & Motoriols for Fire Specialize System (Si or Supply for Futtip Mouse Sometime Shell Moor Task 2000 there 25 may ple unless PPR 25 month for the PPR 25 month for the PPR 25 month for the PPR Plumbet Mouse Laboral Thanking Bosen PPC of open (Oddgmail) If due RSC Pipe Schrift Factor Laboral Factorion Laboral Schrift PRSSended 3. Send Task Standard	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person to proces person	2.04 2.04 2.04 2.00 ENG WORP	KS)				
9.1 9.2 5.1 5.1	Manie de Man	Specimen Laboral Schild for Fire Specially System or & Materials for Fire Special or System (Si or Supply for Florage Mouse Sometime Shart Mater Task 2000 there 25 may give value PFR 25 may fire value PFR 25 may Florage 25 may Florage Fire Special Material 25 may Florage Fire Special Fire Special Than State Fire Special Than Special Fire Special Fire Respecial Fire Respective Fir	1.00 1.00 8UB - TOTA 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.00 2	person person to proces person	2.04 2.04 2.04 1.05	KE()				
9.1 9.2 5.1 5.1	Missississississississississississississ	Specimen Laboral Schild for Fire Specialize System or & Motoriols for Fire Specialize System (Si or Supply for Futtip Mouse Sometime Shell Moor Task 2000 there 25 may ple unless PPR 25 month for the PPR 25 month for the PPR 25 month for the PPR Plumbet Mouse Laboral Thanking Bosen PPC of open (Oddgmail) If due RSC Pipe Schrift Factor Laboral Factorion Laboral Schrift PRSSended 3. Send Task Standard	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	person person to proces person	2.04 2.04 2.04 2.00 ENG WORP	KE()				
9.1 9.2 5.1 5.1	Manie de Man	Specimen Laboral Schild for Fire Specially System or & Materials for Fire Special or System (Si or Supply for Florage Mouse Sometime Shart Mater Task 2000 there 25 may give value PFR 25 may fire value PFR 25 may Florage 25 may Florage Fire Special Material 25 may Florage Fire Special Fire Special Than State Fire Special Than Special Fire Special Fire Respecial Fire Respective Fir	1.00 1.00 8UB - TOTA 1.00 1.00 1.00 1.00 1.00 1.00 1.00 2.00 2	person person turbs person	2.04 2.04 2.04 1.05	K Ti)				

	10	13 Wiflood Light	2.50		
+	+		1.00	94	
-	10	3 Geny 3 promp Convenience Outel	2.00	nuis .	
	100	50 web EnergonyLights	1.00	net .	
	100	50 Arp Circlé Broker	5.00	pes	
	100	30 Amy Canual Residen	2.00	pes.	
	894	20 Are Circle Floatur	1.00	pa.	
	NO.	15 Airg Circuit Blooker	146	pes	
	14	Entrance Cap ≠ 1" (Na	2.00	Pm.	
	ap.	Electroon	1.00	person 1.09	
	nte:	Lebore:	1.00	person 1,99	
110	Adde	esseible Type Smoke Detector	1.00	н	
	*	Labor and Malerials for Addinessable Type Service Detector with complete accessarias LL-FM Approved realescale.	1.00		
		ADDRESSABLE FACE 1 LOOPUL LISTED	1.00	tut.	
		Main circles dig riposeré	1.00	ant	
		Empreder	1.00	uset	
		Short soletor module	1.00	ent	
		Voltage Protection 2500 worth	1.00	ent	
		Addressable type stocke presclor	38.00	wits	
		Addressable sinoke base	36,00	esta.	
		DISCOVERY OPEN AREA SOUNDER ULLISTED	6.00	ards.	
		leput module	2.00	eth:	
		outputmockly	2.06	wite	
		Back up Bellery Lead Acid 12 V	2.00	wits:	
		SF Twisted Stranded Roll	8.00	tenso	
		Deal Auton Addoor ble blursal Pull station III, Listed w'Black Box	6.06	pos	
		Automotic Fire Alarm Catrio With compile accessories	4.00	nik	
		to TGIP pe	48.00	leigh	
		Electrician	4.00	Person 7.09	
		Lubquet	4.00	PRSSR 7.08	
		110		W920054 U28420	-
a lasmer	n pre-t-			LECTRICAL WORKS	
MECH	HANICA	L WORKS	1,00	31	
	Apon	ond Materiels Installation of UCFW overFromPump and Jackeypump with lete accessories			

	Standa Standa Gasino	TED VEHTICAL LINE FIRE PUMP PHISS E 3300 8042 CONTROLLER Tomateus of Accessories (Televiseire Automatic Pressure Couge n Accessory Main 28 HIII	100	ter.				
	PSL25 Contro seltch	Parks II to Line Jookey Pump 10 OFN (§ 113 SN 3 Prese 60to Jookey air TORNATE Cir reliabled previous motor status Hally and HILA Swedow all wired in NEARA Type 2 endosures 2	1.00	iat				
		PARTMENT CONNECTION 2 1/2/X2 ULL LETED	1.00	рс				
	OWNER	KVALVE PULLETED	2.00	pen				
	GATE	VALVE 1 10" UL JISTED	200	203				
	OHEC	K WILVE 1 18"UL LISFED	1.00	pes				
	GATE	VALVE 12" UL LISTED	2.00	pce				
	0460	KANNE 18-DETREED	4.00	pea				
						- 10	20	
			SUB-TOTAL	MECHANICAL	WORKS)			
PANT	TING WO	RKS	10.05	eqm.				
77.6	ir Mestro	sitter Application	10.65	adu.	-		- 4	2/4
	140	Neutraliser	1.00	day.				-
	115	Rollor Brask	1.00	908				
							_	
	710	People	1.06	movie				
	7.59	Peopler Laborer	1.00	my's my's				
364	120	102122	-0.00	1000000				
-11.0	120	Laborer	100	days				
11.0	Surfec	Laborer e-Smoothing	100	day's sq.m.				
11.0	Suffec	Laborer - Smoothing - Share Goal	1.00 18.64 2.18	sque.				
må	CONTRACTOR OF THE PARTY OF THE	Laborer e Smoothing Share Goal Sant Paper #108	100 1846 218 400	Geys sq.m. largs dox				
	CONTRACTOR OF THE PARTY OF THE	Laborer e Smoothing Share Goal Sand Paper #108 Meson Laborer	100 1886 208 400 100	Gey's sque. Segre. Segre Sex Segre Sex Segre Sex Segre Sex Segre Sex Segre Segra Segre Segra Segre Segre Segre Segre Segra Segre Segra Segra Segra Segra Segre Segra Seg				
	7.59 (7.50 (7.50 (7.50 (7.50	Laborer e Smoothing Share Goal Sand Paper #108 Meson Laborer	100 1884 208 400 100	days sq.m. largs dox days cook				
	12 Surfection 12	Laborer Share Goal Share Paper #109 Mason Laborer Pag Fiel Lake (White	100 4844 208 400 100 100 100	clay's sque. sage. door clay's clay				
	7.50 5 Surface 7.50 7.50 7.50 7.50	Laborer - Serecthing - Serecthing - Serect Paper #108 - Meson - Laborer - Tri - Flat Labor White - Choos Labor White	100 1884 208 400 100 100 100 100	City/S SQ.76. Dings GOX City/S City/S SQ.76. Quil Quil				
	1.13 Curter 1.13 1.13 1.13 1.13 1.13 1.14 1.14	Laborer State Coat State Coat State Paper #108 Mesoa Laborer Plat Late & White Coop Late White Fact Land Paper	100 1844 206 400 100 100 1864 100 100	City's SQ.PM. SINGS SOLVE CITY'S C				
	17.500 17.500	Laborer Share Coat Share Coat Sand Paper #109 Mason Laborer Pd Labor Vibria Cosso Labor White Fact Land Primit Point Brown	100 1044 206 400 100 100 100 100 100 400	day's sque. tags and				
	17.50 Curino Carino Curino Cur	Laborer Streething Streething Streething Streething Streething Streething Streething Laborer Tol Find Labor White Coroo Labor White Find Labor Theret Frent Theret Fund Roller	100 1884 208 400 100 100 100 100 100 100	Clay's Sig.ms. Dings: Dings: Dings: Dings: Dings: Sig.ms. Gall				
	17.50 Surface 17	Laborer State Coat Sand Paper #108 Mesoa Laborer Plat Late & White Cosso Late & White Fact Late & White Fact Late & White Fact Late & Fact Fact Broker Park Roller 2* Park Broke	100 1884 200 400 100 100 100 100 100 400 100	City's Sq.re. Sings Six. City's Cit				
	17.50 17	Laborer State Coat State Coat State Paper #109 Mesoa Laborer Ng Flat Late s Vibria Cosso Labor Wilde Flat Late S Vibria Cosso Labor Wilde Flat Coat Plant Flat I Brisser Flat Roller 2* Plant Brisser Jewit Paper #109	100 1044 200 400 100 100 100 100 100 400 400 300	Gley's SQ.76. Gley's Gloy's Gloy's Sq.76. Glei glei glei glei blei sed: pcs pcs				
	17.50 1	Laborer Streething Streething Streething Streething Streething Streething Streething Find Laborer Find Labore White Find Labore White Find Labore White Find Labore White Find Rober 2" Paint Brown Street Paper ARDI Street Paper ARDI Streething A	100 1884 208 400 100 100 100 100 400 100 400 400 400	Clay's Sq.rm. Dings DOX Olay's Clay's Clay's Clay's Goods gal gal gal gal tota subs pos pos pos pos pos pos pos pos pos po				
	1.25 Surface 1.25	Laborer State Coat State Coat State Coat State Paper #108 Misson Laborer Politicator White Cosso Labor White Cosso Labor White Food Thirteer Furth Rober 2" Paint Broke State Paper #108 Soret Paper #80 Foods (yearcoey)	100 1884 208 400 100 100 100 100 100 400 400 400 400	City/S SQ.PA. DisigS GOX City/S City/S GO/R Goil Goil Goil Goil Goil Goil Goil Goil				
	1.50 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.53 Surface 1.54 Surface 1.54 Surface 1.54 Surface 1.55	Laborer Some Coat Some Paper #109 Meson Laborer NU Flet Late & White Coron Late & White Flet Late & White Coron Late & White Flet Late & White Late & Flet Late Late &	100 1884 208 400 100 100 100 100 100 400 100 400 400	City's SQ.PM. Disty's City's				
	- 100 Current Control	Laborer State Coat State Coat State Paper #109 Misson Laborer Put Flat Labor Vibria Cosso Labor White Food Threer Food Threer Frank Bolle: 2" Park Roser Sore Paper #109 Sore Paper #80 Pointer (resour) Laborer Foods (resour)	100 1044 206 400 100 100 100 100 100 400 100 400 4	City's SQ.PM. Diogs DOX City's SQ.PM. Gall Gall				
	1.50 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.52 Surface 1.53 Surface 1.54 Surface 1.54 Surface 1.54 Surface 1.55	Laborer Some Coat Some Paper #109 Meson Laborer NU Flet Late & White Coron Late & White Flet Late & White Coron Late & White Flet Late & White Late & Flet Late Late &	100 1044 206 400 100 100 100 100 400 100 400 400 664 150	City's SQ.PR. Diogs DOX City's SQ.PR. Gall Gall Gall DOS DOS TE (9 City's City's City's City's City's				
718	1.50 Surface 1.50	Laborer State Coat State Coat State Paper #109 Misson Laborer Put Fiel Labor Vibria Cosso Labor White Food Three r Food Rober 2" Part Brisis Sore Paper #109 Sore Paper #50 Points (reaccepy Laborer Pater (reaccepy Laborer Fooder (reaccepy Laborer Laborer	100 1044 206 400 100 100 100 100 400 100 400 400 664 150 656 656	City's SQ.PA. Disty's SOO'S SOO'S SQ.PA. Gall G	DRKS)			
718	- 100 Surface -	Laborer State Coat State Coat State Paper #109 Misson Laborer Put Flat Labor Vibria Cosso Labor White Food Threer Food Threer Frank Bolle: 2" Park Roser Sore Paper #109 Sore Paper #80 Pointer (resour) Laborer Foods (resour)	100 1044 206 400 100 100 100 100 400 100 400 400 664 150	City's SQ.PA. Disty's SOO'S SOO'S SQ.PA. Gall G	DRIKS)			

	6	IMPR	OVEMENT OF CO	OLING SYSTEM					1		
et -	6.1	DEVIN	OLITION WORKS			LOT					-
Ì	-		Demotion of Po	a to Electrical Room							
ŀ		61.1	Laborer		4	Days	1				
Ì		61.1	Grinder		4	Nerton	1				2
t		6.1.3	Grinder Disk 47			Pos.				- 1	
Ī		Г			SUB	TOTAL IDE	MOUTION	WORKS)			
İ	6.2	ELEC	TRICAL WORKS		1	LOT		Homey			
		631	Safety breaker will (For Existing ACU		1	Sei					
		633	Earliely Immakor with Of or Proposed AC		3	Set					
		62.3	5.5mm THM 3to	icidal.	500	Lit. M.					
		624	Zrom THUN Stran	ded	30	Loc M					
ſ		62,5	1" Reside Hose		15	80					
		ež:	Laborer		1	505	à.				
I		63.1	Electricien		1	Svs					
					SUB	TOTAL IE	LECTRICAL V	WORKS)			
	6.3	PAN	TING WORKS		1	LOT		0.5003			
ſ		63.1	PultyPoint		3	San					
		6.5.1	Top Cod		2	Sian					
ſ		63.3	PART BRUSH 3"		4	Pes					
		63.4	Laborar		2	Svy	5				
	-	633	Paster		1	Svs	0				
					SUE	-TOTAL (F	ANTING V	(0)((5)			
ſ	6.4	AME	HTES		4	8E18					
ſ		6.4.1	3 HP - Spill Sype (dress		te					
		642	Floor standing of conditioner Ene diagnostic High torner	init leverter Air irgy Saving Self er airflow aircon 3	(8)	Suls					
						SUB-TOTA	L (AMENIT	esp			
0	ONE	RUCH	ON OF KEICHEN		933	- ser					
		ten D	escription		Quantity	unn	No. of Oays	Material Cost	Labor Cost	Unit Cost	Amount

	3.1	Latterer :	0.	prom	ē.		
	1.2	Liefshammer	2	Bortal	α		7
			TOTALE	AL IDEMO	LITION W	nows)	
2	SITE W	VORKS	128.96	SQ.M.		- I	
	2.3	Clearing and byout					
	211	Lattorer	4	person			
	232	D.C. Control	10	Apply.			
_	23.8	Nyinn #16 Asserted DWN	3	Ngs.			
	2.2	152037		-			
	13.1	Exceptation		person			
	2.3	Larbonear	7.6.1	80,100			
_	111	Embankmern/Backfilling	- 4	parson	6		
	23.3	Lidener	8	Su M.			
-	24	Gravel for Gravel Bedding	1	Owen	15		
-	-	Mason/Carpener	-				
2	9 535 53				TE WORKS	1	
3	- Antonior	AVORIS & SCAFFOLDINGS	434.80	B0.F1			
_	3.1	St-2505 Off Larter	200	56.11			
	8.3	29 - 2" x 2" x Lift Limber	204	8 a.Ft			
_	2.1	4' x 8' x 1/2" This Ordinary Plywood	36	Sheet			
	3.4	RZ-L/Z CNN		Kije			
	3.5	#I OWN		Ngs.			
_	3.8	Carpenter	2	person	- 0		
	2.7	Laborer	4	person	4		
			SUB-TOTAL (R	ORMWOR	KS & SCAP	FOLDINGS	
4	REINE	ORCUMENT STEEL BARS	3,128.33	KG5.		C241361="26"	
	61	30 rem Dia: X 6m RSB grade 33	500	p _m			
	43	12 rsm (No. X Sm 855 grade 40	150	n _{EL}			
	4.5	Miram Dia, X Sm RSR grade 49	66	D _m			
	4.4	#16G), Ne Wire		Deli			10
	4.9	fur tiends	1	Bette	4.0		
	4.6	Bar Cutter	1	Rental	4		
	4.5	Sheelman	3	pinne			
П	4.8	Lifborer		person			
			SUB-TOTAL I	22-6 1, 100.5	-520000	(F) BARS)	
6	CONC	RETE WORKS	28	CU.M.			
	5.1	Portland Corners	267	Sags			
	5.2	Washed Sand	18	Ca.M.			
	5.1	Washed Sand Washed Gravel	25	Ca M			-
	5.4	(U2007), (U30)	1	Rontal			
	5.5	Concrete Mixer	2	person	9		
	3.6	Mesen		person	9		
-		Laborer	100000				
6			187.85	SQ.M.	OW STER	RKS)	-
-	MASO 61	NRY WORKS		2500			
_	-	Portand Desert	194	:Rage			-
	8.2	Rise Sand	11	Car M.			
-	9.5	4" x 8" x 10" CHB - 3000 PSI	2440	Pop.			
_	6.4	Mason	2	Delpay	7.0		-
	6.5	Lirbones	- 4	person	7.		
	-				ONRY WO	HS)	
7		L WORKS	2469.31	KGS.			

	7.2	-ANGLEBALSWM HK 1-1/7"x1-1/2"x20"	27	Pes.			*
	7.8	300mmx380mmx30mm tric take plate	11	Pen			
	2.4	STIRL MATTING WIRE MESH 2" IF SEE IS 4 SWIM THICK		Stelet			9
	7.5	SARIAZ'NE' CHUNUN	44	Pos			
	7.6	WILDINGROD	10	Box			-
	23	GRINDING DISC 4"	10.	PER			
	7.8	STEEL CUTTER DISK SAT	10	Pes			+
	7.5	Bedric Grinder	2	Bente	6		
	7.10	Weiging Vachine	2	Bores	4		
	7.11	Currett Machine	1	Rontoc	4		
	7.12	Welder	2	person	18		-
	7.13	Latacyde		person	10		- 1
		Paramos alla	SUB-	DTAL (ME	TAL WO	RKS)	-
0	HOOF	ING WORKS	120	LH: M.			- 2
	8.1	G-SQUAR THIS PRE FAINTED ROOFING SHEET- RIS TYPE (RISO)	139	DeW			-
	8.2	0.40mm tht. X 24" s 2,4m gre-pairmed Spenish gutter	5	Pes			5
	L)	0.40mm this is 16" is 2.40m pre-painted and Restring	16	Pen			7.
	8.4	GAOmen thic x 8" x 2 Aldre pre-painted fisicial covert	11	Pes			
	8.5	0.40mm trib. x 18" v 3.40m pre-petriod Wall- facting	4	Pes			2
	1.1	Poars Insulator 10mm His. s 1.0m s 120m	133	Ln.M.			*
	8.7	12 even clis. X lim Pto in Hound but for copy rold	14	Pen			
	1.1	TERCHEW 1 1/2"	+\$00	Pes			2
	8.9	BLIND RIVET	1585	$\mu_{\xi/\xi}$			
	8.10	Nacel Sticory Septant (chec)		Tubes			
	8.11	TOUCH UP PAINT	8	Quest			-
	8.12	ine-later	1	tal.			-
	8.53	Next traceller	2	person			0
	***	Lebover	4	beste			
		CONTROL AND	SUB-T	OTAL (ROO	FING WO	ORKS)	
9	PLUM	BING WORKS	1	LOT			e 12
	5.1	SewerLine					
	93.3	Somm die, II 1/1 Bend Elsow PKC Hije		Pos			
	917	100mm x 50mm dis. PAT Reducer	4	Pos			
	113	50 em dis, F.Trop	4	.Pro.			-
	8.2.4	Sill own dia. X Sm Landary PVC page server SISBI	+	Pes			
-	913	100 cm ds., f. Jic Sarrain PVC Fair sines, 1890	10	μсь			20
	9.2	Plumping Footies					
	12.1	Standard Livettey Side Art Ritings and Accomposes	2	Sets			
	92.2	Stateless Grasse Trup 100 PM	4	Dets			
	92.3	4" x 4" PVC Roor Stain	2	Pro.			2
	9.2,4	1/2" Stainless Faucet Long Neck	2	Pis.			Noyeless.

-	9.2.5	S/2" Paragri Blank	2	p _m		
-	**	S/2" HARRI WAS	12723	-		
	1000	Weter Line		+		
	9.1.3	1/2°Ø Gate Value	7.5	Pcs		
	937	1/216 x 3.5m UPVC Blue Place		Pcs		55
	9,1,3	1/2" 90 dag. Bond elbow UPVC Blue		Pen		90
	934	3/7" Tee UPVC Blue	3	PCS		53
	933	1/I/* Female Threaded Adaptor UPVC Sluc-	4	Pen		
	93.6	Telius Tape	*	Pos		
	9.4	Downspreat.				
	(9.4,3	SCorentia, X Securitary PAC ages servin 1001	3	Pos		±
	6.4.2	Stron die, K1/4 Bend Elbow PIC Pipe	1(4)	Pos		
	84.3	2" Fire Street	4	Pos		
	21.4	Solvent Come et 400cc	4	Ser		2
	9.5	Purbe	2	person	i:	-
	9.5		2	person	¥	- 11
		Lationer .	SI D. TI	TAL SHAKE	(BNG WORKS)	
10	ELECT	RICAL WORKS	1	LOT	and money	
	10.1	JUNCTION BOX 6"HE" WITH COVES	20	Pen		-
	10.2	UT LITY 80X 2" x 4"	-50	Pen.		
-	10.5	3/6" da: 15CRpe	2	Pis		-
	30.4					
	4	200 (CO) (CO) (CO) (CO) (CO) (CO) (CO) (CO)	3	Pas.		-
	10.5	Screw modulater (Porontein)	3	Pcs. Box		
	1	Screw (modator (Porontein) 34.0mm2 THMN Strandad				
	10.5	Screw modator (Porontein) 34 Onesia T HMN Strended 8 Decent CHMN Strended	1	Box		-
	50.5 50.6	Screw (modater (Porontoin) 34.0mm2 (1999) Stranded 3.0mm2 (1999) Stranded 5.5mm2 (1999) Stranded	40	Blox Motors		-
	10.5 10.6 20.7	Screw (modater (Porcedoin) 34-0mers THMM Strandad 8-0mers THMM Strandad 5-5mers THMM Strandad 3-5mers THMM Strandad	41 2	Box Motors Box		
	10.5 10.6 10.7 10.8	Screw (modater (Porcedon) 34.0mm2 (1996 Strandad 8.0mm2 (1998 Strandad 5.5mm2 (1998 Strandad 3.5mm2 (1998 Strandad 3.5mm2 (1998 Strandad) 3.5mm2 (1998 Strandad)	1 40 2 1	Box Bloturs Box Box		*
	10.5 20.6 20.7 10.8 10.9	Screw (modater (Porontoin) 34.0mm2 (HHM Stranded) 5.5mm2 (HHM Stranded) 5.5mm2 (HHM Stranded) 3.5mm2 (HHM Stranded) 2.0mm2 (HHM Stranded) 7.0mm2 (HHM Stranded) 7.0mm2 (HHM Stranded)	1 40 2 1	Box Bhearn Box Box		*
	90.5 90.6 90.7 90.8 90.9 90.11	Screw (modater (Poronlain) 34-0mer2 (1999) Strandad 8-Dimer2 (1999) Strandad 5-Smar2 (1999) Strandad 3-Smar2 (1999) Strandad 3-Smar2 (1999) Strandad/Mire 2-Dimer2 (1999) Strandad/Mire Part Clarag (1/2*) (Bestite tube 1/2*) dia	1 42 2 1 1 1 100	Box Blotaru Box Box Box Pen		-
	30.5 20.6 20.7 30.8 30.0 90.11 30.13	Screw Insolater (Porcelain) 34-Omera THHM Strandad 8-Desert THHM Strandad 9-Serenz THHM Strandad 3-Serenz THHM Strandad 3-Serenz THHM Strandad Twice 2-Omera THHM Strandad Twice Part Clergy 1/1" Heiddle tube 1/2" die Sertres THEM Strandad Twice	1 42 2 1 1 1 100 2 10 10	Box Blotum Box Box Pon Sut Ros		10 10 10 10 10 10 10 10 10 10 10 10 10 1
	90.5 90.6 90.7 90.8 90.9 90.11 90.13 90.13	Screw Insolutor (Percelain) 34.0mm2 THMN Strandad 8.0mm2 THMN Strandad 9.5mm2 THMN Strandad 3.5mm2 THMN Strandad 3.5mm2 THMN Strandad 7.0mm2 THMN StrandadTWire Pet Clang 1/1* Healds tube 1/2* dia SestresiTure (Sig	1 42 2 1 1 1 100 2 2	Box Box Box Box Pen. Stat		+
	30.5 20.6 20.7 30.8 30.0 90.11 30.13	Screw (modater (Porontoin) 34-0men2 (HMR Strandod) 8-0men2 (HMR Strandod) 3-5men2 (HMR Stra	1 42 2 1 1 1 100 2 14 5	Box Bhears Box Box Box Pon Sut Roft Addy		
	10.5 20.6 20.7 30.8 30.0 90.11 90.13 90.13 90.14	Screw Insolator (Porcolain) 34-Omera THMN Strandad 8-Desert INMN Strandad 5-Serera INMN Strandad 3-Serera INMN Strandad 3-Serera INMN Strandad Miles 2-Desert INMN Strandad Miles Part Clarge 1/1" Healths tube 1/2" the SestmaniTerm (Rigi of Win Light With Cour 2-Gong Switch w/ Rate Flust Type) 1-Gong Switch w/ Rate Flust Type)	1 40 2 1 1 1 100 2 10 5 5 3	Box Bhitam Box Box Pon Soft Roll Roll Soft Soft		
	10.5 20.6 20.7 20.8 50.0 90.11 90.12 10.13 20.14 20.15 20.15	Screw (modeter Percelon) 34-Omer2 THMN Stranded 4-Deser2 THMN Stranded 5-Seer2 THMN Stranded 3-Seer2 THMN Stranded 3-Seer2 THMN Stranded 3-Seer2 THMN Stranded Wire 2-Deser2 THMN Stranded Wire Pric Clercy 1/1" Health tube 1/2" tile Sertimal Teps (Sig) of Mn Light WMN Case 3-Gong Switch w/ Mate (Flush Type) 1-Geng Switch w/ Mate (Flush Type) 1-Geng Switch w/ Mate (Flush Type)	1 42 2 1 1 1 100 2 14 5 5 3 1 1 3 3	Box Box Box Box Pon Sult Ref Ref For Pon Pon Pon Ref For Pon		
	90.5 90.6 90.7 90.8 90.11 90.13 90.13 90.14 90.15 90.16 90.37	Screw Insolutor (Percelain) 34 Omer 2 THMN Strandad 8 Deser 2 THMN Strandad 9 Seer 2 THMN Strandad 3 Seer 2 THMN Strandad 5 Deser 2 THMN Strandad 5 Deser 2 THMN Strandad 6 THMN S	1 42 2 1 1 1 100 2 10 5 5 3 1 3 4	Box Bhoten Box Box Pon Rof Rof Fon Pon Pon Pon Pon Pon Pon Pon Pon Pon P		1
	10.5 20.6 20.7 20.8 50.0 90.11 90.12 10.13 20.14 20.15 20.15	Screw (modeter Percelon) 34-Omer2 THMN Stranded 4-Deser2 THMN Stranded 5-Seer2 THMN Stranded 3-Seer2 THMN Stranded 3-Seer2 THMN Stranded 3-Seer2 THMN Stranded Wire 2-Deser2 THMN Stranded Wire Pric Clercy 1/1" Health tube 1/2" tile Sertimal Teps (Sig) of Mn Light WMN Case 3-Gong Switch w/ Mate (Flush Type) 1-Geng Switch w/ Mate (Flush Type) 1-Geng Switch w/ Mate (Flush Type)	1 42 2 1 1 1 100 2 14 5 5 3 1 1 3 3	Box Box Box Box Pon Sult Ref Ref For Pon Pon Pon Ref For Pon		
	90.5 90.6 90.7 90.8 90.11 90.13 90.14 90.15 90.16 90.16	Screw Insolater (Percelain) 34 Omer 2 THMN Strandad 8 Deser 2 THMN Strandad 9 Sees 2 THMN Strandad 3 Sees 2 THMN Strandad Thire Pet Clerg 1/1" Healds tube 1/2" dia Seet man Tare (Big of White Lose 2 Sees Seet W. Mate Flush Type) 1 Sees Seet Chulet (Plush Type) 1 Sees Con. Cube (Plush Type) 1 Sees Con. Seet See See Seet Chulet (Plush Type) 1 Sees Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Con. Seet Chulet (Plush Type) 1 Sees Con. Seet Con. Se	1 42 2 1 1 1 100 2 10 5 5 3 1 5 4 1	Box Box Box Box Pon Soft Rof Soft Pon Pon Pon Pon Pon Pon		
	90.5 90.6 90.7 90.8 90.11 90.12 90.13 90.14 90.15 90.16 90.16 90.19	Screw Invalator (Porcolain) 34-Omera THHM Strandad 8-Desert THHM Strandad 5-Sesert THHM Strandad 3-Sesert THHM Strandad 3-Sesert THHM Strandad 3-Sesert THHM Strandad Thire 2-Desert THHM Strandad Thire Part Clarge 1/1" Health tube 1/2" tile Sestiman Tepe (Sig) of World Strandad Fluid Type) 1-Geng Switch w/ Rate Fluid Type) 1-Geng Switch w/ Rate Fluid Type) 1-Beng Cen. Custed (Fluid Type)	1 42 2 1 1 1 100 2 10 5 5 3 1 3 4 1 1 1	Box Box Box Box Pon Soft Roll Addr Soft Pon Pon Pon Pon Soft Soft Soft Soft Soft Soft Soft Soft		

			SUB-TO	TAL IELECT	RICAL WOR	KS)	
11	TILE W	Dees	80	80. M.	-		
	11.1	24"× 24" Unglased Tiles	238	Pen			
	11.2	12" x 12" Clared Tiles	314	Pes			
	11.3	Tric Adhesiver Cerrent Zolg:	42	Bage			
	31.4		41	Packs			
-	11.5	THE GROUND.		Pen	-		
-	11.8	Tile Trist (Med.)	3	person	7		
-	-	Tike installer	0.00	1	7		
_	11.7	Litaret	3	Detrois	r		
200		20.68 at 6.00 = 1	20000	1000	LE WORKS)		
12	1000	NTRY WORKS	90.72	8Q. M.	\rightarrow		
	32.1	CEIUNG			_		
	12.1.1	4 x lf s 1/4" Herdifex	80	Sheet			
	12.1.2	McWifuning - Smilength	131	Pea			
	32.1.3	Carrying Chirosel - See	30	Pes			
		Threaded rod \$18° B (5 in rain Pada)	31	Packs			
		Channel I'lle	666	Pes			
		Wall Angle - 3m Length	38	Pes.		4	
	1000	Savet	1580	Pro.			
	12.1.6	MetalScience	+60	Para.			
	12.2	CABINET	17000				
	1523	E x E x L/E Thi Maire Plwcod	310	trest			
	12.2.2		2	505			
	1222	OW(11/2)s	50	Pm			
	1274	Sant Paper G/It 126	1	1.fer	-		
	-	Non Drip Epany for Committees		-250	_		
-	12.25	Grap Free Septant	- 16	Légr	\rightarrow		
	12,7/6	Wood Preservative - Diesr 4L	3	/Gels	-		
	17.51	Concealed Hinges for Cabinet	-53	Pos.	-		
	12.28	Stainless wall out tracket (2 Rts in 1 set With	67	Pex	-		
	15.25	Screw)	14	Pen			
	12.2.10	Stainless Corner Brokher 2 Pcs in 3 set with	2	Pos			
	12231	Table Salv Machine	1	Rentac			
	12.9	Carpenter/Painter	4	person	9		
	13.4	Länsver	8	person	9		100
		Carto C	GIB.TO	TAL (CARRE	NTRY WOR	wei	-
13	BAINT	NG WORKS	291.9	SQ. M.	DALINI MICH	NA	
	13.1	77.77.77.					
-	1111	Wall and Colling	18	Sale			
-	111.7	PRIMER COACE	3	Galla	-		
	13.1.3	PUTTY HANT for Criting	6	Gas:			
_	-	TOF COAT (WHITE SEMI-GLOSS - CHURK)		-	_		
-	15.54	TOF COAT JANGELS HALO - WALL!	21	846.			
	1115	TOF CONT (SEX) SIKMON - COLUMN)	6	648	_		
	13.69	TOP CONT (CHOCO BROWN - BASE BOARD)		Sals.			
	13.1.7	AGRA CONT 30 KB	211	Bags	_		
		AUNT KOLISE / WITH TRAY"	12	Pen			
	13.59	METAL PRIMER (For Motal Works)	12	Gats.			
	13.1.10	FAINT BRUSH 3"	21	Pen			
		Science Cover Bracket 2 Pcs in 1 set with Screw)	2	ne			
	1						

	13.2.1	Printer Print		1	Tale.				7	
_	1000	Putty MART for Cabinet		17	Gala					
	-			74	Galo					
	Section 15	Toposat Paint (Serie Gloss)		2	0.06					
_		Thinning Solvent for Putty 3-uill		-11 TH				_	_	
	13.2.5	Thinking Solvent for Primer and Too Paletar	cost	8	Gets.					
	13.3	rantar		3	person	12			_	-
	13.4	Laborer		3	person	12				
		2000		508-70	TAL PAIN	TING WO	m(cs)		-	
4	DOOR	S AND WINDOWS		17	SETS					4
		D1- 2.10 mx1.10 Solid woods	en Door	(4)	set					
		D2- 2.1 mx2m Fabricated sta double door(50 mm Giptpe 40 with 25mmx6mm thk Fi and 50mmx50mmx4.5mm d	sched. et bar	•	***					
		D3- 2.10mx1,60m Wooden Panel door	Solid	1	set					
		D4- 2.05ms1.14m Fabricate type double door[50 mm 6 sched. 40 with 25mms6mm bar and 50mmx50mmx4.5n wire mish	i pipe thic Flat	,	set					
		Doors								
		Z.4m x 1,2m Winstow Awaisas type	Downto-							
	18.0	Coated White Frame complete Set and Hingas	af Lack	3	Turk					
	1	With 5,70m et 60 m Windows 50mmsShrumsSürrm this Anger ber mesh		40	Sets					
	14.9	WIG3-3.05m x8.60 m Whitelows Science/dimensionm this Angle bar meds		t	Sets					¥
				W. III. 22777	L (DOORS		Income.			
5	recur	TIES & AMENITIES	100	\$	SETO	AND WIE	IDOM2)		T	
		The Jacks and Standard Table for Z Gas Standard Table Space Claranssion: Total of Direction 2 to 6.4 in Materials: LJ Environ The Standards Sharet For Total to Surface and fiscal Board With 2 total gas validing board with 2 total gas validing board and the standards of Standards and Standards Standards and Standards Standards and Standards Standards and Standards 2 2 3 3 and Standards Standards Standard	eria spaniel for Arrity femor pt r (Novel)	1	Sat					
		El Emple: Tube for this Value Supply had Pro-Tablescaled Strain 902. Sevential 6.	Survey Statistics							
		Stored Evolutional tables with obsidelines also and Dooling spiles of goods (No.40 Co. Life world) in 200 or length; send basis industrial spile result (name (not replied givent).	n longth a will remely all	T	Ħ					-
	100	five seeinguistier		::0::0				_	_	***

		outuse fan		-				
	15.2	parason ran	2	pen				
	25.4	Chinney Range Hood Specs: 900-min cremely hood shocked standards speed only smagist edge 3 speed such bedon control Westerfel at amount press filter 900-with affiliae 200-with affiliae 200-with mood Cofer: that files Wester mood Solar weight Liding Section weight Liding Section weight Liding Section 6 of Demonstrate (Wile file OI) 600 a. 500-mm e (\$40-004 Species	2	Sees				,
	25.5	Classifunge Specia: 60cm freestanding range I gais lawren + 3 debutin festglate cast from pan is apport button gaicine 63-Ber gaic own with ensemi cavity Dimension (WAH43): 900mm650mm660mm	31	Set				2
_	+		1000000			Linear Co.		
15			508-101/ 86	AL (FACILIT	IES & AN	ienmes)		
-	CONS	TRUCTION FOREMAN	- 00	mu-	1		1	
_								
t	SEE V	JISION OF ROOF AT RAMP AREA	100	8q. M.				
-	SEE A	Total	166	ed m				
	-	Clearing and Ligitus	-	1	1 7			
_	-	Lahorer	2	8vs	4			
_	-	Excavation		+			_	
	-	Lalscree	2	Svt	4			,
		Enteriorent/Euc #1 King		-				
_		Littorer /	(F)	BVE	4			- 8
		·	1 1000	B-TOTAL (S	TE WORK	5)	-	,
ž.	FORM	WORKS AND SCREPOLDINGS	10.72	Eq.III.				+
		from Luntim 100 pcs 2'x2' st2"	401	BLT.				
		4 x 5' x 1/4" TRUE Main'd Hy Wood	10	Arest				-
		#2-IJ2 CWN	5	Kgn				
		RE CWN	5	695				
		Carpenter	1	Bys	7.			
		Laborer	2	: Svs	7			-
	10		SUB-TOTAL (F	ORMWORK	S AND SCI	AFFOLOIMGS)	- N	
3	REINIT	ORCEMENT STEEL BARS	299.59	Xgs.				
		SGront Dis. RSS x Gin Length	78	PER			- 9	
		13 mm Dis. Phile Round Bar x Sm Length	8	pm.			1	0 2
		#1653. Tie Wire	2	Rote				
		Hacks aw Harelle	2	Pm.				
		Harts aw Blade	30	Hip				
		Streetener	2	Sve	4		- 9	·
		Leftorer	2	Byt	d			9
	1		SUB-TOTAL	(KSIMPCHC	EMENT 37	THE BARGO		
4	CONC	RETE WORKS	3.71	Cu.M.				()
	1	Partland Coment	36	flags.				
		Washed Send	3	Gs.M.			- 0	
_		Washed Grasel	4	Ga M.			7	
	1							

	Laborer	- 2	SVC	4	
	Constrate Miset	t	Ronte	d i	
	A: T	509-10	TAL (CON	re wors)	
5	METAL WORKS	3264.02	Sgs.		
	305mm x 200mm x 10met Thirk Base Plate	26	:Pm-		
	Sidenma 300mms Green Thick Buss Plate	52	n _m		
	3" (i) Plac Schoolule 40 a tim Length	10	Am.		
	a" or Pipe Schedule 40 x firm serigit	28	Pos		
	27X3° C PURENS	34	PCS		
	2" x 1" x 1.5mm thk Tubular x 6m	35	Pipe.		
	Z" x 2" x 1. Zmm thk Tubular x 6m	32	Pm.		
	7" Gi Pipe Sched, 40 x 6m	8	Pis		
	Cur cell Marthiws	1	Rontar	1	
	14"Steel Cutting Disk	10	pt _{en}		
	Welding Machine	2	Bontal	4	
-	Weiding Kod	9	Bas	7	
	Stern Ascher Solt F	104	PG.		
_	Mt.: Concrete Expression Bolt 4*	104	Pin		
_	Impact biller	2	Forte	4	
_	Driffit 10mm, 12mm and 16mm Set		- Get	-	
		- 1	1000		
	Welder	2	Byc	4	
	Disorer		94£		
ν.	1	-	TOTAL IME	WCRKS)	
5	RODFING WORKS	437.55	Ln.M.		
	S.somm this x2 persistent longspan ree- Painted Roofing Sheet- Rib Type (Red)@11PCS	175.56	te:M.		
	G.40mm trik. a 15" c 3.4m pro-painted wall fleating	7.2	itim		
	0.40mm Ink. x 15" x 2.4m pre-painted End fairling	120	hm		
	G.40mm thk. X 30" s 2.4m pre-painted: Sporish guiter	7.2	nm		
	0.40mm this X 30" x 2,4m pre-painted fascia Cap	127.2	#im		
	Tekorew 1 1/1"	1600	PD.		
	Houlifumer	5	Pm.		
	Blind Rivet	1800	p_{DL}		
	Roof Silcon Scalan: (clear)	8	Tube		
	Roof Installer	2	Byc	6	
	Lidaceae	2	BVE	4	
		SUB-T	OTAL (ROO	G (WORKS)	
	PAINTING WORKS	1	Lot		
	Red Dwide Meral Primer	14	Gain		
	Falet Thirmor	6	dets:		
	Skim Cost 20kg	4	Bags		
	Primer Coali for policelal	9	Dete		
	Top Coat for protectal	4	Sale.		8 72
_	Fain Baller with Tay	3	Pea		
	Funt Brun 3"	17	Pin-		-
	Paint BRUSH 3"		PE		16
_	Paleter				-
		2	SW.	*	
	Laborer	2	SVE	+	-
		505-1	DIAL (PAIN	G WORRS)	319

_	2" PVC Nettru Pige x 2.4m series 1000	. 0	Pen				2.5	
	Stores dia, 3 1/4 Bond Histor PVC Figur	16	Pen					
	Neltics Schwart 400cc	3	Pes					
	Awletion brup Metal Cuttor	4	Pos				38	
	Purbo	3	-BVc	4				
	Lateophe	4	Siye	4				
		SUB-T	OFAL OPLUA	MENO W	ORKS)			
€ CONS	STRUCTION FOREMAN	16	WD					
		125 NOS 1550	-05-0-0000nu				-	
	- 20	B-TOTAL (RO	KIF INSTAL	LATION	OF RAMP)			
٨		B-TOTAL (RO				•))(4
A	Tot	al Dieca Gost (Vikterial, Luit	or and E				
	Tot	of Direct Cost (Vikterial, Luit	orand E	pipment)			
В	Tot Osoftwar	al Dilect Cost (1. Contingencia Contra	Vistorioi, Lat n. & Nitscrien	orand E Most Es No. (FA)	scipment) enemt (% af A)			1.0
n c	To Overhous	al Dilect Cost (1. Contingencia Contra	Materiol, Lat e. & Ritecular coor's Profit lood Tax (% s	orand E Most Es No. (FA)	scipment) enemt (% af A)			10°

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE
Class "A" Documents
Legal Documents
(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Technical Documents
(b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; and
(d) Special PCAB License in case of Joint Ventures <u>and</u> registration for the type and cost of the contract to be bid; <u>and</u>
(e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or original copy of Notarized Bid Securing Declaration; and
(f) Project Requirements, which shall include the following:
a. Organizational chart for the contract to be bid;
b. List of contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; and
(g) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financial Documents
(h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

	(i)	Class "B" Documents If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II. FIN.	ANC	IAL COMPONENT ENVELOPE
	(j)	Original of duly signed and accomplished Financial Bid Form; and
<u>Othe</u>	er doc	rumentary requirements under RA No. 9184
	(k)	Original of duly signed Bid Prices in the Bill of Quantities; <u>and</u>
	(l)	Duly accomplished Detailed Estimates Form, including a summary shee
		indicating the unit prices of construction materials, labor rates, and equipmen
		rentals used in coming up with the Bid; and
	(m)	Cash Flow by Quarter.

