

REQUEST FOR QUOTATION

Section 52.1b - Shopping

RFQ NO. 08-1093
DATE: 22-Aug-2024

COMPANY NAME :
COMPANY ADDRESS :
CONTACT PERSON :
CONTACT NO. :
COMPANY TIN :

PICTMS-2024-08-01093
POSTED
GEPS REF No.: 1196312
DATE: 29 AUG 2024
SIGNATURE: *[Signature]*

Sir/Madam:

Please quote your government price/s including delivery charges, VAT or other applicable taxes, and other incidental expenses for the goods listed in **Annex A**. Failure to indicate **TECHNICAL SPECIFICATIONS** could be basis for non-compliance. Also, furnish us with the descriptive brochures, catalogues, literatures and/or samples, if applicable.

If you are the exclusive manufacturer, distributor or agent in the Philippines for the goods listed in Annex A please attach in your quotation a duly notarized certification to this effect.

Please submit this form together with Annex A to **DSWD FO IX BAC OFFICE** on or before SEPTEMBER 2, 2024 *7th*

Very truly yours,

[Signature]

ROLANDO V. CUEVA
Regional Procurement Officer

Terms and Conditions:


- PURPOSE** : to bw use by the ICTMS staffs
- PR NUMBER** : **2024 - 08 - 1093**
- 1. Award shall be made on per : Item Basis Lot Basis
- 2. Quotation validity : 30 CALENDAR DAYS FROM BID OPENING
- 3. Goods shall be delivered on : **10 CALENDAR DAYS UPON RECEIPT OF NTP**
- 4. Delivery Area : **DSWD FO9**
- 5. Terms of payment : W/ IN 60 CALENDAR DAYS AFTER DELIVERY
- 6. Liquidated Damages/Penalty : 1/10 of 1% of undelivered portion x No. of days of delay
- 7. In case of discrepancy between unit cost and total cost, unit cost shall prevail.
- 8. Warranty : N/A
- 9. Performance Security : N/A

gax
ALESPINA
JAE SUPPLIES

(signature over printed name)
Supplier

PHILGEPS NO.: _____
PHILGEPS EXPIRY: _____

UPS



Specification

- * Main Input Voltage: 230 V
- * Rated power in W: 410 W
- * Rated power in VA: 750 VA
- * product or component type: Uninterruptible power supply (UPS)
- * output connection type
 - > 2 universal
 - > 1 IEC 60320 C13
- * Cable length: 1.2 m
- * Number of cables: 1
- * Battery type: Lead-acid battery

HARD DRIVE



Transfer massive files in seconds. USB 3.2 Gen 2 and PCIe® NVMe™ achieve soaring sequential read/write speeds of up to 1,050/1,000 MB/s*, allowing you to edit directly from the drive. The high-tech rubber exterior with Dynamic Thermal Guard controls heat to maintain steady performance for even giant projects.